

AIRPLANE INDEX

AIRPLANE INDEX 708

ENGINE INDEX 711

GENERAL INDEX 719

AIRPLANE INDEX

- A-11A (Consolidated), 277
 Airacobra, *see* P-39
 Airacuda, *see* FM-1
 Apache (Wright), 190
 Ar 234 (Arado), 405, 417, 424
 Argosy (Armstrong-Whitworth), 141, 211
 Atalanta (Armstrong-Whitworth), 211
 Avro 504N, 140
- B-10 (Martin), 674
 B-17 (Flying Fortress; Boeing), 38, 329, n. 9
 drag of, 682
 turbosupercharger applied to air-cooled engine of, 628
 B-24 (Consolidated), turbosupercharger applied to air-cooled engine of, 628
 B-29 (Boeing), 294, 538
 turbosupercharger applied to air-cooled engine of, 628
 B-42 (Douglas), 683, n. 28
 Badger (Bristol), 137
 Battle (Fairey), 219, 222, 318
 BE-2 (Royal Aircraft Factory), 126
 Beaufighter (Bristol), 233
 Beechcraft 34, 683, n. 28
 Boeing flying boats, use of 115 PN fuel in high compression engines, 612
 Boeing 40, 190, 194, 248
 Boeing 247, 57
 Bugle (Bolton-Paul), 141
 Bulldog (Bristol), 148-149, 215
- Calcutta (Short), 211
 Camel (Sopwith), 166
 Campini-Caproni, 477, n. 38
 Condor (Curtiss), 262
 Crusader (Short), 145
- Danecock (Hawker), 140
 DC-2 (Douglas), 262
 DH, 171, 194
 DH 100, *see* Vampire
 DT-2 (Douglas), 184
- E 28/39 (Gloster)
 government contract for, 352
 flown, 354-355
- F-: U.S. Army fighters now designated by prefix F are indexed under old symbol P; thus F-84 under P-84
- F3U-1 (Vought), 305, n. 7
 F4B (Boeing), 194
 F4F-3 (Grumman)
 compared with P-40, 305-306
 production of, 305, n. 7
 weight of, 306, n. 8
 F4U (Corsair; Vought), 57, 676-678
 F6C-4 (Hawk; Curtiss), 181, 194, 253
 F 7/30 (Supermarine), 217, n. 20, 235, n. 43
 F 9/40, *see* Meteor
 F14C (Curtiss), 292
 Fairey 3F, 204
 FB-5 (Boeing), 260
 FD-1, *see* FH-1
 FG-1 (Goodyear), 472
 FH-1 (McDonnell), 471, 472
 Flycatcher (Fairey), 140, 143, n. 35
 FM-1 (Airacuda; Bell), 278, 280, 317, 318
 Fokker fighter, 126
 Fokker transport, 142, n. 33
 Fokker trimotor, 248
 Ford trimotor, 248, 262
 Fox (Fairey), 72, n. 9, 204, 207-208, 215
 FR-1 (Ryan), 471, n. 30
 Fury (Hawker), 209, 233, 235, n. 42
 compared with American fighters, 252
 Fury, new (Hawker), 238, n. 47, 684
 Fw 190 (Focke-Wulf), 523, n. 21
 compared with Thunderbolt and Spitfire, 54
 compared with Spitfire IX, 230-231
- Gamecock (Gloster), 142, 149
 Gamma (Northrop), 537
 Grebe (Gloster), 140, 149
- Halifax (Handley-Page), 244
 Hannibal (Handley-Page), 149, 211

Airplane Index

- Hart (Hawker), 208, 218, 234, 235, n. 42, 237
 Hawk, *see* F6C-4 and P-36
 He 70 (Heinkel), 237, 383
 He 162 (Heinkel), 417
 He 176 (Heinkel), 322, 378, 391
 He 178 (Heinkel), 383, 391
 origin of, 378
 flown in 1939, 379
 difficulties with, 391; 396, n. 31, 406
 He 280 (Heinkel)
 design of, 393
 development of, 406, 407, 410, n. 46
 report on, to U. S. Army, 458, n. 18
 Hercules (de Havilland), 142, 149, 211
 Hinaidi (Handley-Page), 149
 Hornbill (Hawker), 205, n. 3
 Horsley (Hawker), 203
 Hurricane (Hawker), 72, n. 9, 228
 origin, 217
 compared with Me 109, 221
 weight of, 221, n. 25
 first squadron formed, 318
- Ju 287 (Junkers), 404, n. 41
- Kingcobra *see* P-63
 Kitten (Loening), 163, 164
- L-133 (Lockheed), 449, 479, n. 42
 Lancaster (Avro), 56, 233
 Lightning, *see* P-38
- Manchester (Avro), 243, 244
 Mars (Martin), 538, n. 36
 Me 109 (Messerschmitt), 273, n. 11, 383
 compared with Hurricane and Spitfire, 221
 compared with Spitfire V, 228-229
 weight of, 221, n. 25
 influence of Udet on design, 392, n. 26
 production of, 399, n. 34
 Me 163 (Messerschmitt), 322, 382, n. 9
 Me 262 (Messerschmitt)
 origin and design of, 391-392
 design of, compared with Meteor, 353
 reasons for use of two engines 392, n. 27
 first flights, 393
 flight of General Galland in, 399
 production of, 399-401, 424
 Hitler has bomber version made, 400, 429
 greatest speed of, 424, n. 63
 performance of, 429
 compared with Meteor I, 366
 Meteor II, 368
 Meteor IV, 373
 Me 264 (Messerschmitt), 400, n. 37
 Messenger (Sperry), 164
 Meteor (Gloster), 361
 origin of, 352-353
 design of, compared with Me 262, 353
 near production in 1941, 358
 flown with Goblins, 362
 flown with Wellands, 365-366
 used against flying bombs, 366
 performance
 with Welland, compared with Me 262, 366
 with Derwent I, compared with Me 262, 368
 with Derwent V, compared with Me 262, 373
 compared with
 Tempest V, 435
 P-59A, 464, 466
 Mosquito (deHavilland), 72, n. 9, 238, 683
 Mustang (P-51; North American), 30, n. 8, 238, n. 47, 676-678
 adopted by U. S. Army, 310
 Army's early dislike of, 311, n. 18
 compared with P-38, 310, n. 16
 with V-1710 and Merlin, compared 309-310
- Nighthawk (Nieuport), 130, n. 17
- O-2 (Douglas), 181
 O2U (Vought), 186, 194
 OU (Vought), 186
- P-1 (Curtiss), 181, 194
 P2H-1 (Hall), 275
 P-3 (Curtiss), 181, 679
 P-6 (Curtiss), 265
 P-12 (Boeing), 194, 256, 265, 679
 compared with Fury, 252
 P-25, *see* PB-2
 P-26 (Boeing), 265, 514, 680
 compared with Fury, 252
 tested with fuel injection, 531
 P-35 (Seversky), 673

Airplane Index

- P-36 (Hawk; Curtiss), 253, 673, 683-684
 compared with P-37, 278
 P-37 (Curtiss), 279, 280, 317
 performance of, 278
 effect of, on Army plans, 285
 compared with Spitfire, 302
 in competition, 303
 P-38 (Lightning; Lockheed), 278, 445
 performance of, 303
 bought by French, 304
 use of, in 1943, 310
 compared with Mustang, 310, n. 16
 P-39 (Airacobra; Bell), 278, 445
 performance of, 303
 difficulties with, 303, n. 3
 bought by French, 304
 P-40 (Curtiss)
 origin of, 279
 wins competition, 279-280, 303
 weight of, 306, n. 8, 308, n. 14
 performance of, compared with
 P-36, 303-304
 Hurricane, 304
 F4F-3, 305-306
 tested with two-stage R-1830, 305, n. 7
 P-41 (Seversky), 303, n. 4
 P-42 (Curtiss), 303, n. 4, 304, n. 5
 P-46 (Curtiss), 304, n. 5
 P-47, *see* Thunderbolt
 P-49 (Lockheed), 295
 P-54 (Vultee), 293
 P-58 (Lockheed), 293
 P-59A (Bell)
 origin of, 462
 performance of, 464, 466, 470
 compared with Meteor, 464, 466, 471, n. 31, 475
 compared with conventional fighters, 471
 wind-tunnel test for, 490-491
 P-63 (Bell), 30, n. 8, 310
 P-67 (McDonnell), 295
 P-69 (Republic), 293
 P-75 (Fisher), 293
 P-80 (Lockheed), designed for Goblin, 473, n. 32, 479, n. 42
 P-80A (Shooting Star; Lockheed), 475
 P-84 (Republic), 478
 PB-2 (Consolidated), 286, 329, 673
 PBB-1 (Boeing), 538, n. 36, 542
 PS-1 (Dayton-Wright), 679, n. 21
 Penguin (U. S. Army), 163
 Plover (Parnell), 141
 Rangoon (Short), 149, 211
 S-6 (Supermarine), 212-213
 Scipio (Short), 211
 Scout F-1 (Bristol), 135, 136, n. 23
 SE-5 (Royal Aircraft Factory), 166
 Shooting Star, *see* P-80A
 Sidestrand (Bolton-Paul), 149
 Singapore (Short), 210, 215
 Siskin (Armstrong-Whitworth), 139, 140, 148
 Sopwith Schneider Trophy racer of 1919, 137, 143
 Southampton (Supermarine), 149
 Spitfire (Supermarine), 523, n. 21
 origin of, 217
 weight of, 221, n. 25
 compared with Me 109E, 221
 V compared with Me 109F, 228-229
 IX compared with Fw 190, 54, 230-231
 XII and XIII, 245
 N17, 222, n. 26
 Stieglitz (Focke-Wulf), 389, n. 22
 Stirling (Short), 244
 T4M (Martin), 191, 194
 TBD-1 (Douglas), 305, n. 7
 TBF (Grumman), 456
 Tempest (Hawker), 684, 687, n. 33
 V compared with Meteor, 435
 Thunderbolt (P-47; Republic), 57, 523, n. 21
 compared with Fw 190, 54
 power gain with grade 100/150 fuel and water alcohol injection, 645 f
 Tornado (Hawker), 243
 TR (Naval Aircraft Factory), 170; cf. 167-168
 TS (Naval Aircraft Factory), 170; cf. 167-168
 Typhoon (Hawker), 243, 687, n. 33
 UO (Vought), 170-171
 V-1500 (Handley-Page), 200
 Vampire (DH-100; deHavilland)
 origin of, 356-357

Airplane Index

- first flight, 362, n. 32
 flown over 500 mph, 368, n. 37
 Wapiti (Westland), 142, 149
 Wellington (Vickers), 230
 Whirlwind (Westland), 238
 Wildcat, *see* F4F-3
 Woodcock (Hawker), 141
 X-: U.S. Army and Navy experimental

airplanes with X prefixed to their symbols are indexed without the prefix, e.g., XF4B under F4B

Y-: U. S. Army service-test airplanes with Y or Y1 prefixed to their symbols are indexed without the prefix, e.g., YP-37 under P-37

ENGINE INDEX

- 001 (He S8; Heinkel), 407, 410
 government contract for, 397
 development dropped, 409
 002 (BMW), 397, 411
 government contract for, 395, 411
 003 (BMW), 397, 411-417
 government contract for, 395, 411, 412
 used turbine with hollow buckets, 411-412
 inlet temperature reduced, 412
 new turbine developed, 413-414
 combustion development, 413-415
 compressor development, 413-415
 pilot production, 415
 converted to J-2 fuel, 416
 manufacture of hollow buckets, 416-417
 production man-hours, 416
 strategic materials used, 416
 quantity production, 417
 life of, 417
 compared with 004, 415
 used in He 280, 410, n. 46
 003C (BMW), 414, n. 52, 417, n. 58
 003D (BMW), 405, 417-418
 004 (Junkers), 95, 397
 government contract for, 396
 development of, 418-424
 designed to be sure of success, 419-422
 turbine design, 421
 solid buckets on A and B-1, 421
 uses Diesel fuel, 421
 scale model tried, 422
 flown in Me 262, 422
 pilot production, 422
 improved B model, 423
 quantity production, 423-424
 hollow buckets in B-4, 423-424
 development of materials for, 424-428
 manufacture of
 solid buckets, 426-427
 hollow buckets, 427-428
 combustion system, maintenance of, 415, n. 55
 compared with
 003, 415
 Welland, 430-434
 Derwent I, 368
 006 (He S30; Heinkel), 94, 407, 409
 origin in Junkers airframe division, 380
 government contract for, 398
 development stopped, 403 and n. 39, 410
 007 (Daimler-Benz), 402
 government contract for, 397
 dropped, 405
 011 (Heinkel), 24, 403-405
 018 (BMW), 404-405
 021 (Heinkel-Daimler-Benz), 405, 408
 028 (BMW), 404-405
 19A (Westinghouse), 470, 472
 origin of, 460
 Navy contract for, 460-461
 Navy imposes secrecy, 467, n. 27
 19B (Westinghouse), 472
 1500 (Packard), 186, 247
 2500 (Packard), 190, 247
 A (Lawrance), 163
 air-cooled in-line trainer (U.S. Navy), 16
 Allison, *see* V-1710

- Allison Diesel, 274
 Anzani
 6-cylinder radial, 125
 10-cylinder radial, 125 and n. 5
 Arab (Sunbeam), 130, 135
 Austro-Daimler, 123

 B (Lawrance), 163-164
 B-10 (RAE-Metrovick), 356
 Beardmore, 123
 Bentley Rotary, 126, 127, n. 10
 BHP, 127, 130
 Buzzard (Rolls Royce), **210-211**, 216

 C-6 (Curtiss), 173 and n. 10
 Centaurus (Bristol), 684
 Cheetah (Armstrong Siddeley), 151, n. 42
 Cherub (Bristol), 151, n. 43
 Clergêt rotary, 123, 129, 166
 Condor (Rolls Royce), 200, 205, n. 3, 210
 development after 1921, **201-203**
 government orders 200, 202
 Conqueror (Curtiss), 247, 251, 259
 development of, **261**
 development lags, **262**, 286
 large sales to Army of, 260-261
 last sales of, 286
 difficulties with glycol cooling, 261, n. 11, 265, 274, 667
 used on transports, 262, 690
 compared with Cyclone, 668, n. 4
 turbosupercharged, 673
 used with supercharger for Army testing of high PN fuels, 594
 "Corncob," *see* R-2160
 Cyclone (R-1750; Wright), **192**, 195, 247, 261, n. 9, 668, n. 4
 Cyclone (R-1820; Wright), 50, 261-262, 690
 tested with Eclipse fuel injector by TWA, 537
 Army contract for development with Bosch injector, 540
 special model built to test improved fuel consumption, 606
 used by Wright Aero for testing triptane, 656
 F model, 261-262
 use on transports, 690

 G-100 model, equipped with Chandler-Groves carburetor, 520
 G-200 model
 rating in 1939-1940, 52
 development of supercharger for, 503, 507
 uses Stromberg pressure carburetor, 523-524
 Cyclone, compound (R-1820-29; Wright), 64, n. 2, 441-442 and n. 1

 D-11 (RAE-Metrovick), 356
 D-12 (Curtiss), 16, 66, 171, **172**, 173, 181, 182, 184, 186, 188, 194, 207, 247
 compared with Wasp, 194, 253, 668, n. 4, 671, 678, n. 18
 dominates American market for high-power engines, 62, 175
 glycol-cooled, 667
 great success of, 172, **204**
 in Britain, 43, 58, 144, n. 36, **204-205**
 fuels for, 554
 performance on DAG of less than 40PN, 583
 used for fuel testing by Army, 593 f
 Deerhound (Armstrong Siddeley), 688, n. 34
 Derwent I (Rolls Royce), 372, 373
 development of, **367-368**
 type tested, 367
 production, 367-368
 compared with 004, 368
 Derwent II (Rolls Royce), 369
 Derwent III (Rolls Royce), 369
 Derwent IV (Rolls Royce), 369, 373
 Derwent V (Rolls Royce), **373**
 Double Mongoose (Armstrong Siddeley), 211
 Dragonfly (ABC), **129-131**, 133, 135, 137, 176

 E (Wright), *see* Hispano-Suiza (Wright)
 Eagle (Rolls Royce), 126, 130, 141, 157, 201
 leading British engine in 1919, 199-200
 Eagle XVI, 203-204, 207, 212, 224
 Eagle XX, 204
 Eagle (H-24) (Rolls Royce), 244

 F-2 (RAE-Metrovick)
 origin of, 356

- development of, **374-375**
 flown in Meteor, 375
 F-X (Rolls Royce), *see* Kestrel
 Falcon (Rolls Royce), 126, 129, 130, 201

 Gipsy (deHavilland), 151, n. 43
 Gnome rotary, 123
 Goblin (H-1; Halford-deHavilland), **374**
 origin of, 356-357
 rating in 1942, 362
 flown in Meteor, 362, 374
 flown in Vampire, 368, n. 37, 374
 flown in XP-80, 374, 473, n. 32
 plans for production in U.S., 472-473, dropped, 475
 Goshawk (Rolls Royce), 216, 217, 234
 Griffon (Rolls Royce), 51, 105, **244-245**, 297, 687

 H (Wright), *see* Hispano-Suiza (Wright)
 H-1, *see* Goblin
 H-1640 (Curtiss), 181, 260, 261, n. 9, 266, 686
 H-2120 (Wright), **266**, 688
 H-2470 (Lycoming), 81, 283, 288, **292-293**, 541
 H-3130, *see* H-3730
 H-3730 (Pratt & Whitney) **284**, **286**, 288, **290-291**, 292
 origin as air-cooled X-3130, 284
 converted to liquid-cooled L-3130, 284
 Navy contract for, 284
 converted to sleeve valves as H-3130, 286
 enlarged to H-3730, 290
 development dropped, 291-292
 Hawk (Rolls Royce), 129
 He S-3b (Heinkel), **378-379**, 397, 405-406
 compared with W-1, 355, n. 23
 flown in He 178, 379, 405-406
 He S6 (Heinkel), 406
 He S8, *see* 001
 He S30, *see* 006
 Hercules (Bristol), 50
 Hispano-Suiza, 157, 162, 166, 207
 manufactured by Wright-Martin in U. S., 158, 159, 200

 Hispano-Suiza (Wright), 62, 158, 164, 168, 170, 171, 173, 174-175, 689
 performance on DAG fuel, 583
 Hornet (Pratt & Whitney), **190-191**, 195, 247, 261, n. 9
 Hornet B, 685, n. 30
 Hydra (Bristol), 42, n. 2
 Hyena (Armstrong Siddeley), 688, n. 34

 I (General Electric, Lynn), 37, **462-464**
 impeller strengthened, 462-463
 Hastelloy B used for buckets, 463
 surging cured, 463
 performance affected by airplane design, 490-491
 I-A (General Electric, Lynn)
 compared with W-2B/23, 464
 flown in P-59A, 464
 I-14 (General Electric, Lynn), new turbine and combustion system, 465
 I-16 (General Electric, Lynn), **465-466**
 impeller design used by Power Jets, 369
 surging corrected, 465
 compared with Welland, 475
 I-40 (General Electric, Lynn), **472-473**
 influence on Nene, 371-372
 materials used in, 474
 flown in XP-80A, 475
 production, 475
 compared with
 Nene, 475-476
 TG-180, 478
 IV-1430 (O-1430; Continental), **21-23**, 26, 75, 80, 82, **268-273**
 original cylinder tested, 270
 superchargers inadequate, 270
 Hyper No. 2 cylinder, 270
 fuel for, 270
 original layout as O-1230, 270-271
 O-1230 tested, 271
 cost of, 271
 changed to IV-1430, 273
 in Army competition, 288-289
 intended rating in 1939, 294
 production order for, 295
 type test attempted, 295
 rating of, 295
 reasons for failure, **297-302**
 specific power reasonable, 298
 fuel for, 298, 294, n. 33

- effect of individual cylinders, 299-300
 high coolant temperature, 301
 lack of private investment, 301-302
 lack of resources, 302
 compared with Merlin
 in design power, 297
 in size, 298, 299, n. 1
 in speed of development, **300, 302**
 IV-2220 (Chrysler), 295
- J** (Lawrance), **164-172**, 178, 197
 origin of, 165-166
 cylinder design of, 178, n. 19
 Navy development contract for, 166-167
 first tests of, 168
 first production of, 169-170, 172
 price of, 169
 type tested, 170
 compared with Hispano, 170-171
 additional sales, 174
 becomes Wright J, 175
 effect on Navy's thinking, 182
- J** (Wright), *see* Whirlwind
J-33, *see* I-40
J-35, *see* TG-180
J-37, *see* L-1000
- Jaguar (Armstrong Siddeley), 81, 157, 211, 685
 development of, **131-134, 139-141, 147, 149-151**
 originates in Raf 8, 131-132
 relation to Air Board Scheme A, 128, n. 13
 cylinder design, 132, 178, n. 19
 government contract for, 133
 lock-nut connection of head, 133
 supercharger, 134
 mixing fan introduced, 134
 type tested in 1922, 134, 139
 power increased, 139
 supercharger restored, 139, 146
 large exports, 1923-1926, 140
 use on civilian transports, 141
 compared with Jupiter in 1946, 143
 reliability and workmanship in 1926, 143
 reduction gearing introduced, 147
 displaced by Jupiter after 1926, 148-149
 reasons for ultimate decline, **149-151**
- effect on U.S., 176, 177-178
 compared with Wasp, 192-194
 water injection in supercharged, 648
- Jaguar Major, *see* Panther
- Jupiter (Bristol), 81, 157, 211, 215, 685
 development of, **134-138, 141-148**
 successor of Cosmos Jupiter, 137
 government contract for, 137
 tactical officers ready to abandon, 38
 original cost estimates, 138
 licensed to Gnome et Rhône, 138
 first government production order, 138
 foreign sales, 140, n. 31
 government production order for IV, 141
 first used in service, 141
 solid master rod, 142
 forged crankcase, 142
 VI first completely successful model, 142
 in civilian transports, 142-143, 154
 exports, 143
 compared with Jaguar in 1926, 143
 reliability and workmanship in 1926, 143
 unsupercharged altitude models, 145
 turbosupercharged, 145
 gear-driven supercharger introduced, 146
 reduction gearing introduced, 146, 630, n. 10
 poulitice head replaced by cast aluminum, 147-148
 cast aluminum head replaced by forged, 148
 displaces Jaguar after 1926, 148-149
 production statistics, **153-154**
 cost of development of, **153**
 foreign licenses for, 154
 compared with Wasp, 192-194
- Jupiter (Cosmos), 58, **135-137**
 origin of, 135
 government contract for, 136
 in Schneider Trophy contest, 137, 143
 becomes Bristol Jupiter, 139
 effect in U.S., 177, n. 18
- Jupiter X FBM (Bristol), 42, n. 2
- K-6 (Curtiss), 158, n. 1, 173 and n. 10
 K-12 (Curtiss), 158, 172

- Kestrel (Rolls Royce), 28, **207-210**
 supercharging of, 207, **208-209**, 212, 224-225
 no development contract for, 207
 first production of, 208
 name given, 209
 use of internally cooled valves, 209
 basis of Merlin, 216
- L** (Lawrance), 164-165, 197
 L-1000 (Lockheed), 448-449, 470, 473, **479**
 L-3130, *see* H-3730
- Le Rhône rotary, 123
- Liberty, 157, 158, 171, 173, 176, 182, 194
 design of, 159
 use stops in 1934, 160
 dropped from commercial use, 248
 expense of overhauling, 248, n. 3
 air-cooled cylinder for, 268, 670
 performance on 40PN fuel, 558
 performance on DAG, 583
 testing with synthetic fuel, 579
- Lion (Napier)
 design of, 200
 displaces Eagle, 200
 dominant British engine in first half of 1920's, 206
 reliability of, 689
 on commercial transports, 141, 690
 wins 1927 Schneider Trophy contest, 211, 606, n. 7
 development of supercharged model for 1929 Schneider Trophy contest, 211-212
 decline of, **215**
 fuels for, 554
- Lorraine-Dietrich water-cooled engines
 crankshaft breakage of, and U. S. aviation gasoline, 578
- Lucifer (Bristol), 151, n. 43
- Lynx (Armstrong Siddeley), **139-140**
 hinders other development, 150
- Maybach, 275
- Mercedes (Daimler), 157
- Mercury (Bristol), 50
 rating in 1939-1940; 52
- Mercury racing engine (Bristol), **143-145**
- Mercury (Cosmos), 58, **134-136**
 origin as Brazil-Straker Mercury, 128 and n. 13, **134-135**
 government contract for, 128; canceled, 136
 cylinder design of, 134-135
 abandoned, 136-137
 effect on U.S., 176
- Merlin (Rolls Royce), 23, 105, **216-231**
 origin of, 215-216
 based on Kestrel, 216, 312
 proposed as inverted engine, 58-59, 216
 no development contract for, 216
 rating of PV-12, 217
 ramp head for, 78, 217-218, 312
 flight testing of, 218
 cooling of, 216, 218, 220-221, 234
 Kestrel head used, 218-219
 I and II produced and type tested, 219, 317
 separate head designed, 219
 2-speed supercharger for X, 219-220
 sintered corundum spark plugs in, 623
 racing model of 1937-1938, 221-222, 227, 229
 performance on 150 PN fuel, 558, 646
 greatest rating attained, 270, n. 7
 built in U. S. by Packard as V-1650, 307, n. 12
 supercharging of, in 1939, compared with Cyclone, 507
 durability in commercial service, 690
 compared with O-1230 and IV-1430
 design power, 297
 size, 298, 299, n. 1
 speed of development, 300
 compared with V-1710, 77-80
 in 1937-1939, **302**
 after 1939, **306-310**
 compared with DB-601, 221
- Merlin II, 228, 316, n. 21
 type tested and produced, 219
 rating in
 1939, 220
 1940, 222
 1942, 222-223
- Merlin III, 220, n. 23
- Merlin IV, 220, n. 23, 221, 239
- Merlin X
 produced, rating in 1939, 220

- replaced by XX, 228
 compared with Vulture, 244
 Merlin XII, 239
 production of, 221
 supercharging of, 227
 replaced by 45, 228
 Merlin XX
 supercharging and ratings of, 228
 supercharging compared with Cyclone, 503, n. 19
 Merlin 45, supercharging and ratings of, 228
 Merlin 46, compared with Griffon, 245
 Merlin 60, 54, 230
 Merlin 61
 production of, 230
 separate head, 219, 230, n. 36
 Merlin 66, uses speed-density metering system, 528
 Merlin (V-1650, Packard)
 first production of, 307, n. 12
 U.S. ratings, 307, 309
 weight compared with R-2800, 668, n. 4, 676-678
 N (Lawrance), 163
 Nene (Rolls Royce), **372-373**
 origin of, 371-372
 compared with I-40, 476
 Neptune (Bristol), 151, n. 43
 O-1230 (Lycoming), **75, 80, 281-283**
 Army contract for, 282
 influenced by IV-1430, 282, n. 20
 reasons for failure, **297-302**
 O-1430, *see* IV-1430
 Orion (Bristol), 145, n. 37
 Ounce (Armstrong Siddeley), 139
 OX (Curtiss), 129, 158, 159
 OXX (Curtiss), 129, 158, 159
 P-1 (Wright), 18-19, 63, **183-184**, 185, 186, 189
 P-2 (Wright), 18-19, **185**, 186, 189, 190, 191, 192
 Packard Diesel, 260
 Panther (Armstrong Siddeley), 149, n. 41, 151
 Pegasus (Bristol), 43, n. 3, 50
 rating in 1939-1940, 52
 Peregrine (Rolls Royce), 319, n. 23
 Prince (P-12; Fairey), 43, **205**, n. 4
 PT-1 (Pratt & Whitney)
 origin of, 452-453
 development of, 469, **477-478**
 cost to Pratt & Whitney, 478
 Puma (Siddeley Deasy), 130, 132, 133, 207
 R (Lawrance), 164-165, 168
 R (Rolls Royce), **211-214**, 252
 fuel for, 212-213, 554
 supercharger for, 626 f
 R-1 (Wright), 18, 173, 174, 186
 origin and development of, **177-179**
 cylinder design, 177, n. 18
 uses Army J cylinder, 178
 R-2 (U. S. Army), 179, n. 21
 R-1340, *see* Wasp (Pratt & Whitney)
 R-1454 (Curtiss), **18-21**, 23-24, 37, **63-64, 179-181**, 184, 189
 R-1510 (Wright), 686, n. 32
 R-1535 (Pratt & Whitney), 27
 origin of, 686, n. 32
 in fighter in 1939 competition, 303, n. 4
 tested with Eclipse injector, 536
 R-1750, *see* Cyclone (R-1750)
 R-1820, *see* Cyclone (R-1820)
 R-1830 (Twin Wasp; Pratt & Whitney)
 50, 54, **305**, n. 7, 686-687
 drag greater than V-1710, 254, 683-684
 fighters powered by, compared with P-40, 303-305
 ratings of, in 1939, 52, 303, n. 4
 uses Ceco carburetor, 526
 used for testing triptane, 656-657
 two-stage
 development of, 305, n. 7
 surges, 505
 reason for early development, 674
 compared with Merlin, 674-675
 R-2060 (Pratt & Whitney), 283, **686**
 R-2160 (Wright), **287, 293-294**, 688
 Army contracts for, 287, 289, 293
 in Army competition, 288-289
 R-2180 (Pratt & Whitney)
 origin of, 686
 abandoned, 283, n. 21, 687
 power of, 283, n. 21
 R-2600 (Wright), 51
 origin of, 686
 type test, 687

- power of, in 1936, 283, n. 21
 development of supercharger for, 503
 uses Holley carburetor, 525, n. 23
 use of 115 PN fuel in, 612
 R-2800 (Pratt & Whitney), 51, 54, 79
 origin of, 283, n. 21, 285, 687
 status in 1939, 290
 utility of, 57
 cost of development, 280
 fuel injection developed for, 542
 supercharger for, developed by TEC, 470
 weight, compared with Merlin, 668, n. 4, **676-678**
 durability, compared with Merlin, **690**
 R-3350 (Wright)
 origin of, 686-687
 difficulties with development of, 538-539
 need for improvement in 1943, 294
 plans for water-alcohol injection in, 650
 carburetors for, 525-526, 527, n. 24
 fuel injection for, 539, 541, 542, 566
 Army contract for, 539
 superchargers for, 503-504
 R-4360 (Pratt & Whitney), 256, 688
 origin of, 291
 production of, 688-689
 R-7755 (Lycoming), 666, n. 1
 Raf 1 (Royal Aircraft Factory), 124, 223
 Raf 2 (Royal Aircraft Factory), 125, n. 4
 Raf 3 (Royal Aircraft Factory), 124
 Raf 4 (Royal Aircraft Factory), 124
 Raf 4D (Royal Aircraft Factory), 224
 Raf 8 (Royal Aircraft Factory)
 design of, 125
 given to Siddeley-Deasy to develop, 127, 131-132
 see also Jaguar
 Renault V-8, 123, 129
 basis of Raf 1, 124
 Sabre (Napier), 27, 46, 243-244, 285-286, 684, 687
 type test, 687, n. 33
 production troubles, 687, n. 33
 performance of, 687, n. 33
 Simoon (Wright), 19, **186**, 188-190
 Smith Static, 125, n. 5, **128**, 129, 134
 Superconqueror (Curtiss), 261, 669, 674
 T (Wright), 66, 173, 174, 182, 185, 190
 T-30, *see* 19B
 T-31, *see* TG-100
 Taurus (Bristol), 50
 TG-100 (General Electric, Schenectady), 462
 origin of, 460
 Army contract for, 461
 development of, 469, 477
 vitallium used for buckets, 463, n. 23
 TG-180 (General Electric, Schenectady)
 origin of, 473
 development of, 474, **478**
 flown, 478
 Theseus (Bristol), 355
 Tiger (Armstrong Siddeley), 151-152
 Titan (Bristol), 151, n. 43
 Turbodyne (Northrop)
 development of, **446-448**, 469, **477**
 Army-Navy contract for, 447, 477
 U-8D (Aeromarine), 170
 V-1400 (Curtiss), 247, n. 1
 fuels for, 554
 V-1570, *see* Conqueror
 V-1650 (Packard), *see* Merlin (V-1650)
 V-1710 (Allison), **275-281**
 Navy contract for, 276
 reversible model, 276
 Army contract for, 276, 313
 fuel injection model, 277, 315, 531-532
 redesigned and type tested, 277, 314-315, 317-318
 extension drives, 278, 318
 service-test orders, 278, 280, 317
 F model begun, 278, 319
 reduction gear, 277, 279, 307, 315-316, 319
 first model with gear-driven altitude supercharger, 279, 308
 quantity sales of, 280-281
 cost of development, 280
 need for further development in 1939, 289, 293
 derated in 1940, 307
 ratings in 1941-1942, 307-309

- high compression ratio, 307
two-stage model of, 309
compared with Merlin
in 1937-1939, 302
after 1939, 306-310
reasons for slowness of develop-
ment, 77-80, 311-319
compared with DB-601, 308, n. 14
manifold of, 277, 316
NACA investigates safety fuels for,
529-530
used for testing triptane, 657
performance in
P-37, 302
P-38, 303
P-39, 303
P-40, 253-254, 303-304, 307, n. 11,
308, n. 14, 683-684
best American fighter engine, 304-305
V-1800 (Wright), 267
V-3420 (Allison), 279, 293, 318, 688
cylinder arrangement of, 286, n. 26,
288, n. 29
in Army competition, 288-289
production of, 293
Vulture (Rolls Royce), 21, 51, n. 11,
243-244, 360, 687
- W-1 (Power Jets), 354-355
government contract for, 352
compared with Hc S3b, 355 n. 23
W-1 (U. S. Army), 15-16, 37
W-1X (Power Jets), 37, 354, 358, 462
W-2 (Power Jets)
government contract for, 352
plans for quantity production, 358
failure of, 358 n. 28
W-2/500 (Power Jets), 363, 365
new impeller developed, 368
used on Derwent I, 367
explodes, 369
new turbine developed, 363
used in I-14, 465
W-2/700 (Power Jets), 368-369, 373
type-16 diffuser, 368
impeller explodes, replaced by
GE design, 369, 463
W-2B (Power Jets), 37
origin of, 358
plans for production, 357-358
surging and blade breakage in 1941,
358
- "productionization" of, 359, n. 29
developed in U.S. by General Elec-
tric, *see* I through I-20
W-2B Mark II (Power Jets), 362-363
W-2B/23 (Rover), 361-362, 365
Hastelloy B and Nimonic 80 buckets
tried and flight-tested, 362
becomes Rolls Royce Welland, 365
W-2B/26 (Rover), 366-367
W-2B/37, *see* Derwent I
W-2X (Power Jets), 367, n. 36
W-3Y (Power Jets), 367, n. 36
Wasp (ABC), 129-130
Wasp (R-1340, Pratt & Whitney),
18-19, 63, 77, 187-190
reliability of, 689-690
compared with
R-1454, 181, 190
D-12, 194, 253, 668, n. 4, 671
British engines, 192-194
performance of, in P-12 and P-26,
252, n. 5
tested with
fuel injection, 531, 536
turbosupercharger, 673, 678, n. 18
alcohol injection, 647
power doubled, 595
price of, 188 and n. 28
sales and profitability of, 190
use on commercial transports, 260,
689-690
sets economic pattern of U.S. engine
development, 248-249
Welland (Rolls Royce), 365-366, 367,
372-373
type test, 365
flown in Meteor, 365-366
surges at altitude, 366
production and rating, 366
compared with 004, *see* 004
Whirlwind (Wright), 162-175, 185, 191
model acquired from Lawrance, 175
success of, 184
use on transports, 260, 689-690
reliability of, 689-690
see also J (Lawrance)
WR-1 (Rolls Royce), 364-365
WU (Power Jets)
design begun, 341
Air Ministry contracts for, 343-346
first model tested, 349
design revised, 350

- second and third models tested, 351
bucket alloy of, 354
- X-: U.S. Army and Navy experimental
engines with X prefixed to their
symbols are indexed without prefix;
e.g., XR-7755 under R-7755
X-24 (U.S. Army), 16
- X-1800 (Pratt & Whitney)
origin of, 285-286
Army contract for, 286
status in 1939, 286
in Army competition, 288-289
development given up, 289-290
P-54 designed for, 293
X-2775 (Packard), 259, n. 8
X-3130, *see* H-3730

GENERAL INDEX

- ABC Motors, Ltd, 128, 129, n. 14
see also Engine Index: Dragonfly,
Wasp (ABC)
accessories, engine
cost of, 108
deficiency in single one not serious
for engine builder, 110
development of, 100-122
by specialists or engine builders,
12, 107-112
competition in, 12, 100-104, 110,
121
dependent on engine builders,
105-107, 118, 119, 121
engine builders responsible for,
112, 121
engine builders' staffs for, 107
role of military services in, 12
manufacturers of, *see* specialists
"package," 108
see also: fuel-metering systems
radiators
starters
superchargers
accessories not part of engine, de-
velopment of, 119-121
airplane builders not involved, 119
controlled by military services, 120
engine builders
involved in Britain, 120
not involved in U. S., 119
military services responsible for, 122
see also cooling system
Adenstedt, Heinrich, 426
administration of development
American and British compared, 10-
11
by civilian or military personnel,
compared, 11
- by separate Army and Navy, 11
need for separation from procure-
ment, 17
Advisory Commission to the Council
for National Defense, 631 f
Aeromarine Plane & Motor Co., 159
see also Engine Index: U-8D
Aeronautical Research Committee
(British), 329
approves studies of gas turbines in
1926, 332; in 1930, 333
recommends support of gas turbine
development in 1937, 349
aftercooler
compared with water injection, 676
difficult on radial, 675
on Merlin, 230, 309
not on V-1710, 309
Air Board (British), 126, n. 8
reorganized in 1917, 130, n. 16
Scheme A of 1917, 127, 130, n. 17,
132, n. 20
air box, 106
defined, 519, n. 17
refrigerated, 113
air-cooled and liquid-cooled engines
compared, *see* liquid-cooled and air-
cooled-engines compared
air-cooled engines, development of
earliest, in France, 156
in Britain, 123-155
influenced by U. S., 147-148
in U. S., 156-198
compared with development of
liquid-cooled engines, 246, 263,
264
behind British in early 1920's, 159,
176
see also, cylinders, air-cooled

- air-cooled engines, performance of
 in U. S. fighters in 1928, 194
 in first half of 1930's, 252
- air-cooled engines, uses of
 in British fighters in 1924, 204-205, 256
 in British civilian transports, **210-211**
 by U. S. Navy exclusively
 for 300-hp and under, 183
 for all 1- and 2-place airplanes, 194, 260
 in U. S. at end of 1920's, **192-195**
 in U. S. in 1939, 156
 in Schneider Trophy contests, 137, 143, 145
- air-cooled engines, U. S.
 quality of, in 1939, 156
 weight, compared with British, 51-53
- Air Corps Act of 1926, 63, 195, 288-289, 540
- Air Corps Research Board, 288
- Air Council, 70
- Air Member for Development and Production, 70, n. 5
- Air Member for Research and Development, 70, n. 5
- Air Member for Supply and Research, 70 n. 5
- Air Ministry, British
 created, 130, n. 16
 organization of, 70
 fails to persuade Rolls Royce to develop aircraft engines in 1919, **201**
 persuades Bristol to develop Jupiter, 137
 backs development of Condor, 201-202
 drops development of turbosuperchargers, 202, 203, **224**
 backs development of geared superchargers, 203, 204
 refuses to back manufacture of D-12 by Fairey, 205
 policy on development of liquid-cooled engines in 1925, 206
 fails to persuade Napier to develop monobloc engine, 206
 persuades Rolls Royce to develop Kestrel, 28, 207
 and Schneider Trophy contest of 1929, 211-212
- of 1931, 213
- approves development of Merlin, 216
- forced to rush production of Merlin, 317, n. 22
- studies gas turbines in 1920, 329-331
- refuses to back Whittle's turbojet in 1930, 335
- permits Whittle to work for Power Jets, 339, 341
- takes stock in Power Jets, 339-340
- gives contracts to Power Jets, 343-346
- permits RAE to resume development of gas turbines in 1937, 350
- decides turbojets are practical, 345, 352
- materiel functions given to Ministry of Aircraft Production, 353
- see also* Aeronautical Research Committee
- Air Ministry, German, 24
- relation between research and development in, 382, n. 10
- Technical Office, 388, n. 20
- promotes competition in development, 388, n. 20
- reduces number of types of aircraft and engines, 388, n. 20
- supports pulsejet, ramjet, and rocket development, 382
- learns of early private gas-turbine developments, 379, 381-383
- decides to back gas-turbine development, 385-386
- refuses to support turbine development by new firm, 395
- refuses to support engine development by airframe firms, 381, 386, 394
- persuades engine industry to develop gas turbines, 386-388
- has airframes designed for jet propulsion, 391-393
- general plan for gas-turbine development in 1939, 394, 397
- urges firms to design turbines for high performance, 412, n. 48, 421, 435
- gives no design specifications to BMW or Junkers, 412, n. 48, 420, n. 60

- plans for advanced turbines, **402-405**, 408
- persuades Heinkel to follow government design, 403, 408, 435
- policy on turbine production during war, **398-401**, 415
- tries to promote cooperation among firms, 436-437
- Air Policy Commission, U. S. President's, 40, 73, n. 10, 92
- Aircraft Engine Laboratory (U. S. Navy), 120
- aircraft carriers, 66
- origin of, 165
- U. S. Navy decides to build, 167
- Langley, U.S.S., 167
- Lexington and Saratoga, U.S.S., 186
- airplanes, for individual planes *see* Airplane Index
- airplanes, civilian transport
 British, history of, 141 n. 32, 199
 earliest genuine, in U.S., 194
 use of Lion in, 206 n. 6
 use of air-cooled engines in
 in U. S., 156, 194, 257
 in Britain, 211
 number of engines used for,
 in Britain, 154
 in U.S. after 1926, 248
- Alden, R. C., 616
- Aldrin, Edwin E., 609
- All British Engine Company, Ltd, 129, n. 14
- Allgemeine Elektrizitäts Gesellschaft, 421
- Allis-Chalmers Manufacturing Company
 builds Houdry turbines, 443, 460
 develops gas turbine for ships, 459
 member of Durand Committee, 458
 Navy contract for study of ducted fan, 460
 development of ducted fan, 468, 473
 plans to produce Goblin, 473
- Allison Engineering Company
 character of, 273-274
 ownership of, 274
 staff, size of, 278, 280
 resources of, compared with Rolls Royce, 312, 319 and n. 23
- production facilities
 designed for mass production, 319
 inadequacies of, 317
- development of bearings, *see* bearings
- development of two-speed reduction gear, 630, n. 10
- rebuilt Liberties, 274
- develops cylinder for glycol cooling, 274
- builds engine for small airplanes, 274
- development of V-1710 engine, *see* Engine Index: V-1710
- financing of V-1710 development, 280-281, 313
- development of superchargers, 310-311, 506
- see also* Engine Index: Allison Diesel, V-3420
- Allison, James, 274
- alloys, high-temperature, *see* buckets, turbine, alloys for; valves, development of materials for
- altitude performance, without supercharger
 in Bristol Jupiter, 145
 in Kestrel, 208
- Aluminum Company of America (Alcoa), 148, n. 39
- American Petroleum Institute
 founds the Pure Hydrocarbon Research Project, 617 f.
 part in sponsoring and financing the CFR, 586
 Research Project 6, 618
 Research Project 45, 618
- "Anilol," *see* injection, "Anilol"
- antifreezes, none in First World War, 127
- antiknocks, defined, 582
- Antz, Hans M., 391, 392
- Anzani, *see* Engine Index: Anzani
- API, *see* American Petroleum Institute
- appropriations for research and development, 17
- British, amount of, in early 1920's, 201
- British and U.S., compared, 44, 78, 483-484
- year-by-year, effect of, 68, **69-72**, 169

- in U.S.
 in 1930's, 267
 increased, after 1926, 248
 Navy and Army, compared, 172
 Arbeitsamt, 396, 399
 Arbeitsgemeinschaft für Triebwerks-
 planung, 436
 Argus Motoren Gesellschaft, 394, n. 28,
 398, n. 33
 Armengaud, René, 325, 384
 Armstrong Siddeley Motors, Ltd, 44, 59
 successor to Siddeley Deasy, 131
 dominant British producer of air-
 cooled engines, 1922-1926, 140
 prosperity of, 150-151
 early use of forged pistons by, 144
 poor development policies of, 149-151
 end of, as producer of high-power
 engines, 152
see also Engine Index:
 Cheetah Lynx
 Deerhound Ounce
 Double Mongoose Panther
 Hyena Tiger
 Jaguar
 Armstrong Whitworth Aircraft, Ltd,
 140
 Army, British
 relies on Royal Aircraft Factory for
 aircraft in First World War, 126
 Army, United States
 cooperation, attempts to promote,
 in gas-turbine development, 466-
 467
 develops
 bearings, 33
 casting techniques, 31, 148, n. 39
 cooling system, *see* cooling system
 cylinders
 air-cooled, 18, 29, 177-180, 191,
 197
 liquid-cooled, 21-22, 669-670
 engines, 161
 see also Engine Index: W-1,
 X-24
 spark plugs, 623-625
 water injection, 647
 disagreement with Packard, 259
 fuel injection, declares all single-en-
 gine tactical planes will use, 531
 fuels, investigation of, 582, 585, 591-
 599
 gas turbines, attitude toward, in
 1930's, 442, 444-445
 intervenes in design, of fuel injectors,
 117, 532-534
 jet propulsion
 has study of made in 1923, 444-445
 has NACA set up committee on, in
 1941, 458
 liquid-cooled engines
 attitude toward, 67
 goal of development of, in 1930's,
 297-298
 stops supporting development of,
 by Wright, 265, 276
 requirements for, set up in 1939,
 288, 688
 plans based on high PN fuel, 299
 Pratt & Whitney forced to develop
 X-1800 by, 285
 radiator drag, reduction of, 236-238,
 681
 range of aircraft, requirements on,
 483
 resources in 1930's, 267-268
 responsibility for engine design as-
 sumed by, 161, 165
 rockets, has investigated, 457
 sponsors development of
 carburetors, 113, 514, 516-526
 engines, air-cooled, 62, 164-165,
 176-182, *see also* Engine Index:
 H-1640 R-1
 R (Lawrance) R-1454
 engines, liquid-cooled, *see* Engine
 Index:
 Conqueror R-2160
 D-12 Superconqueror
 H-2470 V-1710
 IV-1430 V-3420
 IV-2220 X-1800
 O-1230
 fuel injectors, 103, 106, 114, 116-
 117, 516, 530-534, 536-542
 gas turbines, *see* Engine Index:
 I through I-40 Turbodyne
 L-1000 TG-100
 TG-180
 turbosupercharger, 328-329, 630 n.
 10, 673-674
 see also supercharger, turbo
 turbosupercharger bucket materi-
 als, 494-497

- submerged installations advocated
 by, 682
 tactical officers disagree with Wright
 Field, 285, 288, n. 27
 Wright Aero forced to use J cylinder
 by, 178
 Army general staff, conflict with Wright
 Field over 100 PN, 607
 Arnold, General H. H., 394, n. 29, 458,
 461, 490, 640
 Asiatic Petroleum Company, 351
 Assistant Director of Technical De-
 velopment for Engines
 functions, 71
 tenure, 71
 Associated Ethyl Company, Ltd, 212,
 213
 Atkins, Commander A. K., 163, 168
 Atlantic Refining Company, 639
 Austenal Laboratories, 495, 497
 Australian Air Force, 142
 AVA (Aerodynamische Versuchsan-
 stalt Göttingen E. V. in der Kaiser
 Wilhelm-Gesellschaft zur Förderung
 Wissenschaften)
 model tests for BMW, 437
 see also compressor, axial
 Aviation Corporation, 281, n. 19
 Aviation Fuels Division (AFD), *see*
 Cooperative Fuel Research—Avia-
 tion Fuels Division
 Bachman, B. B., 585 f.
 Baeumker, Adolf, 382
 baffling, development of, by Pratt &
 Whitney, 680
 Banks, Air Commodore F. R., 17, n.
 2, 76, 81, 212, 213, 371
 Barnard, D. P., 553
 Bayerische Motorenwerke, A. G., 388,
 n. 17a
 bearings, 33, 111
 Beck, Ernst, 397, 402
 Beecroft, David, 585
 Bendix Aviation Corporation
 acquires Stromberg, 517, n. 13
 limits Stromberg development, 517
 increases Stromberg development in
 1935, 110, 522
 owns Eclipse, 535
 see also Eclipse Aviation Corpora-
 tion, Stromberg Motor Devices
 Company
 Bendix Products Corporation, 517, n. 13
 Bendix Products Division, 517, n. 13
 see also fuel injector, Bendix
 Bendix-Stromberg Carburetor Com-
 pany, 517, n. 13
 Berlin, Don R., 278
 Betz, Albert, 380, n. 5, 386, 410, 431
 B G Corporation, 623
 Birmann, Rudolph, 454, 455, 506
 blades, turbine, *see* buckets, turbine
 Bock, Guenther, 384, n. 13, 389, n. 22
 BMW Engine Company (BMW Flug-
 motorenbau G.m.b.H.)
 development of turbosuperchargers,
 387
 accepts government contract to
 study gas turbines, 387-388
 development of centrifugal turbojet,
 389, 401
 acquires Bramo and continues Bra-
 mo's development of axial turbo-
 jet, 388, 390, 394, 401, 411, n. 47
 concentrates on axial rather than
 counterrotating engines, 402
 studies of ducted fans, 401
 converts turbojets to J-2 fuel, 400,
 n.36, 416
 size of staff, 413-414, 415-416
 uses own judgment in design of 003,
 412, n. 48
 see also Engine Index: 002 003D
 003 018
 003C 028
 Boehler (Gebr. Boehler A.G.), 426
 Boeing Air Transport, Inc., 248
 Boeing School of Aeronautics, 448
 boiling point of fuel, *see* volatility
 Bollenrath, Franz, 424
 bombing, Allied, effect on German de-
 velopment, 405, 438
 bombs, flying, development of engine
 of, 398, n. 33
 Bonham-Carter, Sir Maurice, 337
 boost control, automatic, 53-54, 209
 Borg-Warner Corporation
 acquires Marvel, 532
 stops fuel-injector development, 532
 controversy with Army over pay-
 ment, 532-533

- Bosch, United American, *see* fuel injectors, Bosch
 Bosch, Robert, G.m.b.H., 623
 Boyd, T. A., 582, 587, 589, 617
 Bradshaw, Granville, 129
 brake mean effective pressure explained, 178
 of air- and liquid-cooled engines compared, 669-671
 Bramson, M. L., 337, 338, 339
 Bramo Engine Company (Brandenburgische Motorenwerke G.m.b.H.) successor of Siemens & Halske engine division, 388, n. 18
 production of reciprocating engines in 1938, 388, n. 20
 accepts government contract for study of jet propulsion, 388
 development of ducted fans, 389-390
 develops counterrotating turbojet, 390, in collaboration with Weinrich, 395, 411
 designs axial turbojet, 390, 411-412
 government contracts for counter-rotating engine as 002 and axial as 003, 395, 411
 merged with BMW as BMW Flugmotorenbau Entwicklungswerk Spandau, 388, 390, 394, 411, n. 47
 for later history, *see* BMW Engine Company
 Brazil-Straker & Company, Ltd, succeeded by Cosmos, 128, 135
 see also Engine Index: Mercury (Cosmos), Jupiter (Cosmos)
 Breene, Captain, 679
 Brelsford, Mr., 679
 Brightray, 622
 Bristol Aeroplane Co., Ltd, 554, 620, n. 1
 Aero Engine Division created, 137
 magnitude of activities, **153-155**
 finances part of early development, 42, n. 2, 138
 finances expansion from profits, 141
 development of
 sleeve-valves, 21, 50, 285
 small engine, 151
 turbosupercharger, 224
 facilities for flight-testing of engines, 232, n. 38
 government contracts, by years, **153**
 begins study of gas turbines, 355-356
 see also Engine Index:
 Centaurus Mercury rac-
 Cherub ing engine
 Hercules Neptune
 Hydra Orion
 Jupiter (Bristol) Pegasus
 Jupiter X FBM Taurus
 Lucifer Theseus
 Mercury (Bristol) Titan
 British Industries Fair, 348
 British Thomson-Houston Company supplies supercharger for Jaguar, 139
 constructs Power Jets engines, 341, 342, 344, 345, 349, 350
 accepts Power Jets stock in return for services, 344, 345
 Brown, Captain Anderton, 240
 Brown-Boveri et Compagnie development of turbo-blowers, Velox boilers, axial compressors, and industrial gas turbines, 326-327
 development of turbosuperchargers, 229
 gas turbine studied by British, 349
 licenses Houdry turbine to Allis-Chalmers, *see* Allis-Chalmers
 Brown-Boveri, Mannheim, 413, 414, n. 52
 Brueckner & Canis, 413, 417-418
 Bruckmann, B. W., 388, 390
 BTH, *see* British Thomson-Houston Company
 Buc, H. E., 609 f
 buckets, turbine, alloys for classes of, 498, n. 16
 shortage of materials for, in Germany, 387, 424, 438
 testing of
 in Germany, 424-425, 500
 in U. S., **500**
 U. S. better off in, than Britain or Germany, 480-481, **498-499**
 Wright Field demands 2500° in 1930's, 442, 444
 12% chrome, 494, n. 6
 17 W, 495
 ATV-3, 457
 Boehler FBD, 417
 Cromadur, 428

- Hastelloy B
 origin of, 496
 first trials for buckets, 496
 forging technique, 496
 casting tried, 496-497
 poor corrosion resistance, 497, n. 15
 used on I series, 463, 498
 tried on I-40, 474, 498
 compared with Rex 78, 463, 498
 tried on W-2B/23, 362
 Hastelloy C, 496, 497, n. 15
 K-42-B, 498
 KE-965, 494
 Krupp P-193, 425
 Nimonic 80
 used on
 W-2B/23, 362
 W-2/500, 363, n. 33
 Welland, 365
 tried and rejected by GE, 463, n. 23
 Rex 78, used in
 W-1, 354
 W-2B, 359
 W-2/500, 363, n. 33
 SAE 6150, 494
 Stayblade, used in WU, 354
 Stellite No. 6, 481
 development, 495
 tried by U. S. Army in 1933, 495
 fabricating difficulties, 495-496
 Stellite No. 21
 origin of, 497
 methods of fabricating developed, 498
 could have been developed earlier, 481
 used on first TG-100, 463, n. 23, 498
 tried on I, 463 n. 23
 used on production I-40, 474, 480, 498
 Stellite No. 23, 498
 Tinidur, **425**, 427
 compared with Nimonic 80, 424
 Vitallium
 origin of, 495
 tried for buckets, 497
 casting process perfected, 497
 see also above, Stellite No. 21
 buckets, turbine, development of alloys for
 by DVL, 387, **424-426**
 by Junkers, **424-428**
 for industrial turbines, 327
 for turbosuperchargers in U. S., 329, 440, **494-497**
 buckets, turbine, internally cooled, development of
 by BMW, 389, 411, 417
 by Junkers, 421, **427-428**
 buckets, turbine, quantity production of, by
 GE, of Hastelloy B for I series, 434, n. 8, 463 n. 23
 GE, of Stellite No. 21 for I-40, 474
 Junkers, 426-428
 Power Jets, 363, n. 33
 Rolls Royce, 365, **434**
 Buckingham, Edgar, 444
 Buechi, Alfred, 328
 Bulman, Major G. P., 71, n. 8, 211, 212
 Bureau of Aeronautics, U. S. Navy creation of, 167
 see also Navy, U. S.
 Bureau of Engineering, U. S. Navy, 167
 Bureau of Standards, *see* National Bureau of Standards
 Burt, Wilbur F., 615, n. 11
 Burton cracking process, 577
 Bush, Vannevar, 458, 632
 Butler, L. F. G., 134
 Caldwell, F. W., 629
 California Institute of Technology, 457, 458
 Calingaert, G., 602, n. 3
 Cambridge University, investigation of engine combustion, 580-581
 Campbell, J. F., 533, 534, 540, 541, n. 42, 647
 Campbell, J. M., 589, 617
 Campbell, Kenneth, 502
 Campini, Secondo, 450, 451
 Canada, National Research Council of, 648
 carburetors
 general principles of operation, 509-511
 become standard on aircraft engines before First World War, 510, 529
 development of, dependent on use of engines, 105
 aerodynamic losses due to, 228

- engine manufacturers consider building own, 514, 517
 icing of, 101, 515, 573-574
 Chandler-Groves less subject to, 519
 Stromberg pressure almost free from, 523
 impeller injection for, 106, 538, n. 37
 carburetors, floatless
 utility of, 54, 523, n. 21
 development of, *see*:
 carburetors, Ceco
 Chandler-Groves
 Holley
 SPE
 Stromberg, pressure
 Stewart-Warner Corporation
 carburetors, Ceco
 direct metering, 526
 hydrometering, 106, 116, 525-526
 carburetors, Chandler-Groves, 106, 110, 113, 115, 117, 518-520, 524
 cost of development, 520
 price, 520, n. 19
 carburetors, Holley, 116, 524-525
 carburetors, SPE, 38, 115, 516-517
 carburetors, speed-density, *see* fuel-metering system, speed-density
 carburetors, Stromberg float-type, development of, 101, 511-515
 difficulties with, 100-101, 512-513, 515-516, 521
 price, 520, n. 19
 relation of, to Army specifications, 117
 carburetors, Stromberg pressure, development of, 101-102, 106, 110, 522-523
 Stromberg staff, facilities, and expenses increased for, 522
 patent on, 101
 control system licensed to Ceco, 526
 used as control for Bendix injector, 542
 carburetors, Zenith
 used on Liberty and Hispano-Suiza, 511
 cascade testing, of airfoils, 332, 386
 Central Flying School (British, RAF), 334
 ceramics, *see* corundum, sintered
 CFR, *see* Cooperative Fuel Research Committee
 Champion Spark Plug Company, 625, n. 5
 Chandler, M. E., 517, 521, 525, 536, n. 34
 Chandler, M. G., 530
 Chandler-Evans Corporation
 lack of test facilities, 106
 see also carburetors, Ceco
 Chandler-Groves Company
 formation of, 517-518
 creation of competition in carburetor industry by, 101-102
 lack of test facilities, 106
 see also carburetors, Chandler-Groves
 Chennault, General Claire L., 304, n. 6, 307, n. 11
 Chenoweth, Opie, 604
 Chidlaw, Brigadier General Benjamin W., 466, 490
 Chief Engineer of Wright Field, 38
 Chief of the Air Corps, 37, 289, 483
 Chrysler Corporation, *see* Engine Index: IV-2220
 Civil Aeronautics Administration, 527
 Clark, Colonel V. E., 679
 Clark University, 587
 Clarkson, Coker, 585
 Clergêt, *see* Engine Index: Clergêt rotary
 cobalt
 shortage of, in Germany, 387, 425-426
 alloys known in Germany, 425, 426, n. 68
 combustion process in engines, 568-569
 combustion system
 German oil burner industry refuses to develop, 378
 on early WU engines, 348-349
 Lubbock, on WU and W-1, 351, 354
 on first von Ohain engines, 377-378
 combustion system, annular
 on F-2, 375
 on 003, 412-415
 on 006, 380
 diameter of, 412
 combustion system, can type
 on third WU engine, 351
 on 004, 420-421

- combustion system, reverse-flow
 used by Power Jets, 357
 difficulties with, 366-367
 production of, 366, n. 35
 American experience with, 366, n. 35, 474
 combustion system, straight-through
 rejected by Power Jets, 96, 367, n. 36
 used on Goblin, 357
 used on W-2B/26, 366-367
 used by Rolls Royce, 367
 used on I-40, 474
 combustion system, vaporizing
 on WU, 351
 on NACA ducted fan, 468
 competition
 effects of, 102, 103, 110
 contrasted with government specifications, 117
 importance of, 17, 152, 552, 554-555
 in development of accessories, 100-104, 121, 543
 in development of fuels, 550-552
 among nations, 553-554
 promoted by German Air Ministry, 388, n. 20
 promoted by U. S. Navy, 172
 competition, design, U. S. Army
 for air-cooled engines, in 1919, 176
 for liquid-cooled engines, in 1939, 288
 for fighters, in 1939, 280, 303-304
 competition, price, in U.S., 18, 63-64, 162, 179
 compound engine
 defined, 441
 development of, by U. S. Army, 441-442
 fuel consumption of, 561
 compressibility, effects of, in compressors, 226
 compression ratio
 defined, 569
 effect of doubling, 571
 "highest useful," 580
 increased to take advantage of high PN fuels, 593
 compression ratio, high for altitude performance without supercharger
 in Jupiter, 145
 in Kestrel, 208
 compressors, delay of development of, in U. S. due to cost and ignorance of performance, 482, 508
 compressors, axial
 small diameter primary reason for use
 on 003, 412
 on 004, 420
 superior efficiency a reason for preference in Germany, 391-392
 used by all American turbine firms, 459-460
 compressors, axial, development of
 by AVA, 386, 410, 414, n. 52, 431, 438, 482, 508
 used in 003, 412, 437
 used in 004, 420, 423, n. 62, 437-438
 used for design of Me 262, 392
 by BMW, 413-415, 417
 by Brown-Boveri et Cie, 326-327
 by Brown-Boveri, Mannheim, 414, n. 52, 417, n. 58, 431
 by Brueckner & Canis, 417-418
 by NACA, 460, 482, 508
 by RAE, 332, 350, n. 17, 374-375, 431, n. 5, 438, 481-482
 by R. Friedrich, 380, n. 5, 407, 409-410, 418, 431
 industrial, 326
 compressors, axial, efficiency of
 on 003, 414, n. 52
 on 004, 420
 compressors, centrifugal, development of
 by GE, for I engines, 463-465
 by Powers Jets, 349, 351, 360-362, 368-369, 463-464
 by Rolls Royce, for gas turbines, 360, 367, 373, n. 40
 by Rover, 361
 compressors, centrifugal, efficiency of
 Whittle hopes to improve, 334-335, 338, 348, 507
 in Whittle's first design, 349
 in Whittle's second design, 351
 in Whittle's final design, 368-369
 in Welland, 507
 in Nene, 476
 in Derwent V, 373, n. 40, 507
 in earliest U. S. turbojets, 481
 in I-40, 476
 compressors, centrifugal, two-sided
 used in Power Jets engines, 348

- do not occur to Germans, 391, n. 25
- compressors, centrifugal, *see also* Superchargers
- compressors, diagonal
- advantages of, 408, 454-455
 - advocated by Birmann, 454-455
 - development of, by Birmann, 506-507
 - efficiency of, 456, n. 17, 507
 - used on Heinkel 011, 408, 410-411, 417
- compressors, free-piston, 452
- development of, by Pratt & Whitney, 478
 - see also* gas turbine (free piston), Götaverken system, and Engine Index: PT-1
- compressors, mixed-flow, *see* compressors, diagonal
- Congressional Aviation Policy Board, 26, 45, n. 7, 70, 75, 92
- connecting rods, master solid
- replaced by split in R-1454, 180
 - used in Jupiter, 142, 189, n. 31
 - used in R-1750, 192
 - used in Wasp, 189
 - split, used in R-4360, 189, n. 31
 - "true motion", 266
- connecting rods, side-by-side, in Cosmos Mercury, 135
- Constant, Hayne, 343, 349
- Continental Motor Company
- condition of, in 1932, 271-272
 - reorganization of, in 1939, 294
 - development of sleeve-valve radial, 269-271
- competition with Wright and Pratt & Whitney avoided, 289
- and IV-1430
- factory built for, 294-295
 - investment in, 271-272, 294, 302
 - for development, *see* Engine Index: IV-1430
- coolant temperature, 300°F, required by U. S. Army, 22, 25
- effect on development
 - of Conqueror, 261, n. 11
 - of V-1710, 269, n. 4, 315
 - of IV-1430, 301
- requirement modified, 269, n.4, 301, 315
- cooling of air-cooled engines, deficient, 251, 253-254, 668, 672-673
- cooling, composite, on Merlin, 216, 218, 234
- cooling, ethylene glycol, 31
- advantages and disadvantages of, 238, 680
 - development of, *see*:
 - cooling system, development of Royal Aircraft Establishment used in
 - Rolls Royce R, 218, 234, n. 40
 - Merlin, 218, 234
 - V-1710, 274-275, 277, 316
 - IV-1430, 269
 - cooling, pressure
 - on Merlin, 220-221, 238-239
 - advantages of, 220
- cooling, steam, development by Rolls Royce, 216, 233-234
- cooling system
- development of
 - by Rolls Royce, 120-121, 231-242
 - by U. S. Army, 31, 121, 234, 252-253, 261, n. 11, 591-595, 667
 - troubles with, 169, 211, 231, 689
 - weight of
 - in 1922, 170
 - in 1930, 211, n. 15, 231, 233, 667
 - reduction of, by high-temperature cooling, 235
 - see also* radiators
- cooperation
- among German firms, lacking, 436, 438
 - among British firms, *see* Gas Turbine Collaboration Committee
 - among U. S. firms
 - in general, good during war, 467
 - in gas turbine development, prevented by government, 467, 491-493
 - result of lack of, 467-468, 493
 - between U. S. and British, in gas turbine development, 467, n. 27, 468
 - impossible to enforce, 491
- Cooperative Fuel Research Committee, 585-590
- and the Armed Services, joint study of rich-mixture fuel quality, 637

- evolution and development of the CFR standard engine, 587
- lack of definitions of gasoline properties at time of formation of, 586
 - octane number scale adopted by the, 587
 - accepted and standardized, 589
 - relationship with the National Bureau of Standards, 586-587
 - sponsoring and financing of, 585-586
- Cooperative Fuel Research Committee, Aviation Fuels Division of, formed, 600
- test program of, 600-601
- Cosmos Engineering Company
- successor of Brazil-Straker & Co., 135
 - failure of, 137
 - see also* Engine Index:
 - Jupiter (Cosmos)
 - Mercury (Cosmos)
- cost of engine development
- British and U. S. compared, 44, n. 6, 49
 - capitalization of
 - by Allison, 280, 281
 - not usual, 46
 - necessary element of overhead, 47-48
 - see also* engines, civilian
- cost of engines, American and British compared, 9-10, 47-49, 59
- cost of fuel and engine development, 558
- cowl, NACA, 254
- development of, 679
 - use of, delayed, 680
- Cox, H. Roxbee, 353, 359, 363, 371
- crackers, catalytic
- for producing isopentane in quantity, 616
 - use of, nearly doubled supply of 100 PN fuel, 635
- cracking process, catalytic
- important during World War II, 551
 - evolution of the fluid, 615-616
 - see also* fuels, catalytic cracked
- crankcase, forged
- on Cyclone, 261, n. 12
 - on Jupiter, 142, 189, n. 29
 - on Wasp, 189
- crankshaft, radial engines
- solid
 - on R-1454, 180
 - on P-1, 183
 - two-piece
 - on R-1, 179
 - on Wasp, 189
 - on R-1750, 192
 - two-row, without center bearing, 140, 149, 151
- creep, defined, 500
- Cronstedt, Val, 625, n. 4
- Cullen, James K., 187
- Cummings, H. K., 612
- Curtiss Aeroplane & Motor Corporation
- status after First World War, 157-158
 - early attitude toward development of air-cooled engines, 63-64, 173, 184
 - chief supplier of Army engines in 1927, 260
 - considers developing own carburetors, 514
 - merger with Wright, 260, n. 10
 - effect of, on development of Conqueror, 262
 - see also* Engine Index:

| | |
|-----------|----------------|
| C-6 | OX |
| Conqueror | OXX |
| D-12 | R-1454 |
| H-1640 | Superconqueror |
| K-6 | V-1400 |
| K-12 | |
- Curtiss, Marine Trophy, 170, n. 9
- Curtiss-Wright Corporation
- see* Curtiss Aeroplane & Motor Company
 - Wright Aeronautical Corporation
- cylinder arrangement
- flat, 22
 - on O-1430, 270-271
 - on O-1230, 282
 - inverted, 22, 58-59, 273
 - X-type, difficulties with, 244, 286, n. 25
- cylinder liners, open, 207
- cylinders, air-cooled
- casting of, 31
 - American technique superior, 148, n. 39
 - for Bristol Mercury, by RAE, 144, 148, n. 39
 - copper plated, 130
 - development of, by RAE, 131

- development of, by Royal Aircraft Factory, **124-125**, 132, 134, n. 21, 136
 - effect of, on U.S., 177-178
- development of, by U. S. Army, 18, 29, **177-180**, 191, 197
 - results adopted by Wright, 183, 191
- for Liberty, 268, 670
- forged heads
 - advantages of, 670-671
 - introduced on Bristol Jupiter, 148
- Hispano construction used in J-4 Whirlwind, 175 and n. 15
- lock-nut connection of head on Jaguar, 133
- penthouse roof, 144
- poultice-type
 - on Bristol Jupiter, 143
 - on Cosmos Jupiter, 136
 - on Cosmos Mercury, 134-135
 - on Wright R-1, 177
 - life of, 147
 - poor cooling of, 147
 - refined, 134, n. 21
 - removed from Bristol Jupiter, 147-148
- principles of design of, **125**, n. 3, **178**, n. 19
- rated by knocking properties, 579-580
- short-thread connection of head, originated by Siddeley Deasy, 132
- type J, 178-180, 185
- type K, 191
- type M, 180, 185, 192
 - fuel for development of, 584
- U. S. superior to British in 1926, 147
- cylinders, liquid-cooled
 - development of, by U. S. Army, 21-22, **669-670**
 - Hispano-type, 207
 - Hyper
 - bmp of, 670
 - development of, 269-270, 670
 - individual
 - Army specifies for IV-1430, 268
 - Army prefers, to Allison block, 275
 - effect of, on crankcase, 299
 - merits of, 269 and n. 5, 299-300
 - used on O-1230, 282
 - monobloc
 - developed by Hispano-Suiza, 157
 - difficulties of development, 300
 - short-thread connection of head originated by Siddeley Deasy, 132
 - welded steel
 - developed by Daimler, 157
 - used on
 - Eagle and Condor, 200
 - Lion, 200
 - W-1, 16
- cylinders, single, development of, 22, 180, 271, **301**
- Daimler-Benz, A. G.
 - refuses to develop gas turbines in 1938, 387
 - willing to take over Heinkel turbo-jet, 394-495
 - accepts government contract for 007 ducted fan, 397
 - size of staff, 402, n. 38
 - becomes anxious to develop gas turbines, 405
 - see also* Engine Index: 007, 021
- Daimler Motor Company, develops welded steel cylinders, 157, 200
- Davies, Ralph K., 634
- Dayton Electric Company, 197
- Dayton Engineering Laboratories Company, program of knock investigation, **581-582**
- Defense Plant Corporation, 659
- deHavilland Aircraft Company
 - relation with Major F. B. Halford, 356, n. 26
 - see also*
 - Airplane Index: Vampire
 - Engine Index: Gipsy
- deHavilland Engine Company
 - formation of, 356, n. 26
 - see also* Engine Index: Goblin
- De Laval Steam Turbine Company, 328, 455, 456
- De La Vergne Machine Co., 169
- Delco, 581-582
- Department of Justice, 634-635
- depression of 1921, effect on Rolls Royce, 201
- Des Champs, D. J., 536, 541

- design
 - conservatism in, U.S., British, and German compared, 56-57
 - features, military v. civilian, U.S. and British compared, **53-54**
 - rights, 10, **64-65**
 - specifications by U. S. Government
 - required by procurement legislation, 162
 - delay due to, 72-73, 76
 - for accessories, 112, 114
 - for IV-1430, 21-22
 - for R-1454, 18, **179**
 - specifications not set by British Government, 72
- Deutsche Edelstahlwerke A.G., 426
- development
 - administration of, *see* administration of development
 - need for rapidity in, **76**, 79, 91, 99
 - need for continuing, after original production, 16, 25
 - true nature of, 150
- development contracts
 - avoidance of, in U.S., by private investment, 75
 - delays in administration of, 9-10, 179, 272, **301-302**
 - delays involved in, U.S. contrasted with Britain, 45, **69-76**, 83
 - profit on
 - in Britain, 48, **73**, 201
 - in U.S., **73-74**
 - purpose of, usual, in U.S. after 1926, **41**, **195**, 249
 - see also* government payment for development
- development contracts, terms of
 - British, in general, **73**
 - for Rolls Royce supercharger development, 225
 - U. S. Army, in general, 165
 - for IV-1430, 269-270, **272**
 - for Lawrance R, 165
 - for O-1230, **282**
 - for R-1, 177
 - for R-1454, 179-181
 - U. S. Navy, in general, 166-167
 - for H-3130, 284
 - for Lawrance J, 166
 - for Lawrance N, 163
- diameter of radial engines, efforts to reduce
 - on R-1, 179
 - on P-1, 183-184
 - on H-1640 and H-2120, 266
- Diesel engines, aircraft, 84-85, 260, 274, **562-564**
- diffuser, type 16
 - development of, 368, 464-465
 - improved by Rolls Royce, 369, n. 38
 - similar diffuser developed by GE, 464
- diffuser, vaneless
 - on Jaguar, 139
 - in U. S., 503
- Director of Aeronautical Inspection, 72
- Director of Research, 71, n. 6
- Director of Scientific Research
 - functions, 70-71
 - tenure, 71
- Director of Technical Development, 71
- Director-General of Supply and Research, 70, n. 5
- distribution of fuel
 - a cause of engine failure, 578
 - effect of fuel volatility on, 567
 - see also* rotary induction system
- Dix, E. H., Jr., 148, n. 39, 620, n. 1
- Doble Steam Motors, 448
- Doolittle, J. H., 607
- Douglas Aircraft Company, 74, n. 12, 181
- Dow Chemical Company, 656
- drag
 - of air-cooled engines
 - in 1922, 171
 - in 1930's, 682
 - of liquid-cooled engine and radiator measured by U. S. Army, 235, n. 44
 - reduced by Rolls Royce, 235-238
 - reduced by U. S. Army, 680
 - theory of, 236-237, 678-679
 - of liquid-cooled and air-cooled engines compared, 253, 258, **678-684**
 - example of P-36 and P-40, 253-254
 - of reciprocating engines, becomes chief argument for gas turbines in Germany, 384, n. 13
 - of turbojets, axial and centrifugal compared, 353
- drag, cooling
 - distinguished from form drag, 678

- of air-cooled engines
 - greater than liquid-cooled, 681
 - research on, by Pratt & Whitney, 291
- ducted fan, Diesel driven, Mueller design, development by
 - Junkers airframe division, 380-381
 - Heinkel, 401, 406-407, 409
- ducted fans
 - development by
 - Bramo and BMW-Spandau, 389-390, 401
 - Daimler-Benz, *see* Engine Index: 007
 - Rolls Royce, 355, n. 24
 - Allis Chalmers, 460, 468, 473
 - NACA, 450-451, 468, 476-477; reported to Durand Committee, 459, 468
 - interest diminishes in, in U. S., 471-472
 - studied by Schelp, 385
- durability, of air- and liquid-cooled engines compared, 256-257, 690
- DuPont de Nemours & Company, E.I., manufacturer of lead, 588
- Durand, W. R., 458, 460, 468
- Durand Committee, *see* National Advisory Committee on Aeronautics, Special Committee on Jet Propulsion
- DVL (Deutsche Versuchsanstalt für Luftfahrt — German Aeronautical Research Establishment)
 - bucket materials, development of, 387, 424-426
 - gas turbines, attitude toward, 385, 437
 - propeller research, 384, n. 13
 - supercharger development, 507
 - turbosupercharger development, 387
- Eastern Air Transport, 262
- Eaton Manufacturing Co., 198
- Echols, Major General Oliver P., 490
- Eclipse Aviation Corporation
 - subsidiary of Bendix Aviation Corporation, 535
 - development of
 - Diesel fuel injector, 535, n. 33
 - gasoline fuel injector, *see* fuel injector, Eclipse
 - floatless carburetor, 521
 - electric starter, 120
 - borrowed test engines, 535
- Edgar, Graham, 197, 198, 549, 557-558, 580-581, 587-590, 602, n. 3, 604 f.
- Eisenlohr, Wolfram, 383, n. 11, 394, 398, 436
- Elliott, A. G., 212, 216, 217
- Ellor, J. E., 124, 132, 208, 212, 223, 224, 225, 237, n. 46, 328
- Encke, W., 380, n. 5, 386, 410, 420, 431
- Engineering Division, U. S. Army Air Service, *see* Army, United States
- Engineering Duty Only officers, U. S. Navy, 39, 336, n. 8
- engines
 - number a firm can develop at one time, 21
 - civilian, payment for development of, 48-49
 - export, contribution to cost of development, 48
 - French, used by British in First World War, 123, 130; by U. S., 159
 - German, compared with U. S. and British
 - in 1938, 387, 418
 - in 1942-1943, 399-400
 - for individual aircraft engines, *see* Engine Index
- engines, fuel-testing
 - Bristol, 637
 - CFR, 587, 637-638
 - Ricardo E-35, 579-580
- engines, steam, for aircraft, 448-449
- Ernst Heinkel, A. G., 377
- Ethyl Corporation, 197, 587-590, 602, 619, 625, n. 5, 656
- Excelsior Motor & Manufacturing Co., 163
- exhaust stacks, jet
 - development of, 237, n. 46, 323
 - used on Hurricane and Spitfire, 229
- expansion tank, developed by Rolls Royce, 232-233
- experience, need for
 - in firms, 13
 - in development of innovations, 97, 99
 - in government personnel, 37
- Fairchild Aircraft Corporation, 74, n. 12
- Fairey Aviation Company, Ltd, 43

- obtains license for D-12, 204
- fails to obtain government support for manufacture of D-12, 205
- see also* Engine Index: Prince
- Fairey, C. R., 204
- Falk, O. T., & Company, Ltd, 337
- Falk, O. T. & Partners, 337, 338, 339, 340, 342
- Fansteel Products Company, 197, 198
- Farman, Avions H. et M., 630, n. 10
- see also* reduction gearing, supercharger, two-speed
- Fechet, General, 194
- Fedden, Sir A. H. Roy, 128, 134, 135, 136-138, 145, 147, 151, 563, 670
- Federal Specification Board, fuel requirements, 583
- Fell, Lieut.-Col. L. F. R., 71, n. 8, 201, 207
- fighters, U. S. and British attitude in 1930's, compared, 56
- Fisher Brothers Investment Corporation, 274
- Fisher, Lawrence, 274
- "Flugbaumeister", 383, n. 12, 391
- Forschungsinstitut für Kraftfahrwesen und Fahrzeugmotoren, 407, n. 43
- Forsythe, Graham, 205, n. 4
- Franz, Anselm, 390, 396, 418, 419, 420, 421
- free vortex blading, for turbines
 - developed by RAE, 332, 350, n. 18
 - used and patented by Power Jets, 350
 - not used by Germans, 433, 438
- Friedrich, Rudolph, 380, n. 5, 418
- fuel, crude, from
 - Borneo, 575
 - California, 213, 583, 579, 596-597
 - Dutch East Indies, 579, 613, 636
 - Java, 575
 - Louisiana, 597
 - Pennsylvania, 579
 - Rumania, 213
 - Sumatra, 575
 - Texas, 597
 - U. S., 575
- differences among, 575
- fuel, high-octane
 - shortage of in Germany, effect on turbojet development, 400, n. 36
 - German resources for manufacturing, compared with U.S., 553
- fuel, safety
 - requires fuel injection, 529, 535
 - interest of Navy in, 529, 535, 536
 - investigation by NACA, 529-530
- fuel behavior at rich and lean mixture, 613-618
- fuel chemistry, 595, 693-705
- fuel components
 - choice of, in 1928-1929, 595, 601
 - testing of, 608-609
 - see also* fuels and fuel components
- fuel consumption
 - of air-cooled engines
 - high in early years, 182, 671
 - improved, 182, 192
 - lower than liquid-cooled in 1930's, 671-672
 - of compound engines, 561
- fuel-cooling, 688, n. 5
- fuel development, related to engine development, 559-562, 599, 600 f, 605-606
- fuel energy, 571 f
- fuel freezing, 572-574
- fuel injection
 - advantages and disadvantages of, 537, 543
 - backed by TWA, 537
 - used before First World War, 529
 - used on Diesel engines, 529
 - research by NACA, 529-530
- fuel injectors
 - attitude of engine builders toward, 117-118
 - development of
 - dependent on use of engines, 105-106
 - accelerated after 1940, 538
 - supported by Army after dropped by Navy in 1942, 116
 - electric mass-flow control for, 114, 115
 - speed-density control for, 115
 - tried on Marvel, 532
 - used on Eclipse, 534, 535
- fuel injectors, Bendix, 103, 114, 115
- successor of Eclipse injector, 541
- Army and Navy orders, 541
- development of, 541-542
 - synchronization, 541, n. 43
 - control by Stromberg pressure carburetor, 542
- production, 542

- fuel injectors, Bosch, 103, 106, 114
 - development of, 534, **540-541**
 - Army-designed electric control, 115, 534, 540-541
 - hydraulic control, 540-541
 - production, 541
- fuel injectors, Eclipse
 - Navy contract for, 535
 - Army refuses support, 536-537
 - development of, **535-538**
 - tested by Navy, 535
 - tested by TWA, 537
 - speed-density control of, 115, 535, 537-538
 - for further history, *see* fuel injectors, Bendix
- fuel injectors, Marvel, 114, 315
 - development of, **530-533**
 - Army payments for, 532
 - cost of, 533
 - Army purchases of, 530, 531
 - on V-1710, 277, 531
- fuel-metering systems
 - rarely developed by engine builders in U. S., 105
 - speed-density
 - principles of, 527
 - development by Bristol, 527, n. 25
 - development by Rolls Royce, 105, **527-529**
 - not developed in U.S., 105
 - see also* carburetors
 - fuel injectors
- fuel production during World War II, 659
- fuel production methods
 - alkylation process, 611, 704 f
 - alkylation process, HF (anhydrous hydrofluoric acid) developed, 655
 - cold acid process, 608, 703
 - hot acid process, 608, 703-704
 - hydroforming process installed during World War II for production of toluene, 655 f
 - isomerization process, 655
 - phosphoric acid process, 608, 703 f
- fuel production problems, magnitude of, 659-662
- fuel specifications
 - Domestic Aviation Grade (DAG), 578
 - Fighting Grade, 579
 - octane numbers first used in expression of, 596-597
- fuel stability, 572
- fuel testing
 - 3C Method, 638
 - "Army Method," 605
- fuel types, sensitive and insensitive, 593, 613-614
- fuels with improved lean performance, Army and Navy interest in, 652-653
- fuels and fuel components
 - 87-octane, introduction of, in Britain, 214-215
 - 100-octane (100-PN)
 - alkylation, keystone of production of, during Second World War, 611
 - armed services increase permissible lead concentration in, 635
 - engine development to take maximum advantage of, 620
 - first quantity production of, 608
 - introduced in Britain, 222
 - performance in automobile engines, 562
 - performance in engines designed for lower PN fuels, 620
 - plant expansion for production of, 606-607
 - standardization of, by the AAF, 607
 - U. S. capacity for production, 631
 - use of, by airlines, 612
 - value of, demonstrated by U. S. Army, 606
 - Wright Field efforts to develop, 603-605
- acetone, in Rolls Royce R, 213
- alcohols
 - effect on knocking, 580-582
 - in Rolls Royce R, 213, 214
 - in racing Merlin, 222, n. 27
- alkylates
 - chemistry of, 696, 704
 - increased content of, in Grade 115/145, 652
 - inferior to octanes, 611
- aromatic amines
 - chemistry of, 701
 - early Army use of, 584
 - effect on knocking, 582
 - investigation of, 641-642
 - tested by Army, 583-584
- aromatics
 - chemistry of, 699-700
 - knocking behavior of, 580-581
 - prejudice against, 613, 641
 - used in making Grade 100/130, 639
- benzols
 - chosen by Edgar for upper end of fuel scale, 588
 - effect on knocking and compression ratio, 577, 582
 - freezing point of, 572-573
 - most useful as test fuel, 595
 - unsuitable for air-cooled engines, 591-592
 - unsuitable for engines with high cylinder temperatures, 592 f
 - use in air-cooled cylinder development tests, 584
 - use in manufacture of cumene, 639
 - use in First World War, 575 f
 - use in Kestrel, 209
 - use in Rolls Royce R, 212-214
 - use in racing Merlin, 222, n. 27
- catalytic cracked
 - instability of, 578
 - not attractive for high PN, 615
- compounds, chemical, effect on knocking, 582
- compounds, synthetic
 - by-product of motor gasoline, 562
 - first use of in U.S. during First World War, 575-576
- cumene (isopropyl benzene)
 - characteristics and production of, 639-640
 - chemistry of, 699
 - reduced content of, in Grade 115/145, 652
- Diesel, used in Junkers turbojets, 400, n. 36, 421
- ethers, 565, 701
- ethers, diethyl (anesthetic)
 - formed from ethylene and water, 701
 - knocking behavior of, 580-581
- ethers, diisopropyl
 - engine-tested and produced, 609-611
 - formed from propylene and water, 701
 - Grade 100/125, 638 f
- Grade 100/130, 639, 646, 654
- Grade 100/150, 644, 646, 653
- Grade 115/145, 646, 651, 652, 653
- Grade 150/270, 653
- Grade 153/153, 653
- heptane
 - blends in standard fuel system, 570
 - chosen by Edgar for lower end of fuel scale, 588-589
 - cost of, 612
- hydrocarbons, pure, research in, **617**
 - see also* Pure Hydrocarbon Research Project
- isooctanes
 - blend in standard fuel systems, 570-571
 - main constituents of "alkylate," 696
 - manufacture of, 703-705
 - production of, 602, n. 3
 - role of, in producing superior fuels, 601-602
 - use of, in fuel grade designations, 638, n. 3
- isopentane
 - characteristics and use of, 616
 - chemistry of, 695
 - developed as result of private enterprise, 551
 - knocking properties of, 581
- J-2, 400, n. 36
- kerosene
 - California, 581
 - Pennsylvania, 581
- lead (tetraethyllead)
 - Army and Navy use of, 584-585, 595-599
 - Army testing of, 583
 - chemistry of, 702
 - concentration increased in 100 PN fuel in 1941, 635
 - demand for lead-free high-PN fuel, 598-599
 - difficulties with, 597-598
 - effect on knocking, 582
 - early use of, 556-557
 - in obtaining high PN fuels, 589-590
 - in standard fuel systems, 570-571
 - manufactured by General Motors Chemical Co. as "Ethyl Fluid," 587
 - used in Rolls Royce R, 213

- tested by Army, 583-584
- aromatics
 - chemistry of, 699-700
 - knocking behavior of, 580-581
 - prejudice against, 613, 641
 - used in making Grade 100/130, 639
- benzols
 - chosen by Edgar for upper end of fuel scale, 588
 - effect on knocking and compression ratio, 577, 582
 - freezing point of, 572-573
 - most useful as test fuel, 595
 - unsuitable for air-cooled engines, 591-592
 - unsuitable for engines with high cylinder temperatures, 592 f
 - use in air-cooled cylinder development tests, 584
 - use in manufacture of cumene, 639
 - use in First World War, 575 f
 - use in Kestrel, 209
 - use in Rolls Royce R, 212-214
 - use in racing Merlin, 222, n. 27
- catalytic cracked
 - instability of, 578
 - not attractive for high PN, 615
- compounds, chemical, effect on knocking, 582
- compounds, synthetic
 - by-product of motor gasoline, 562
 - first use of in U.S. during First World War, 575-576
- cumene (isopropyl benzene)
 - characteristics and production of, 639-640
 - chemistry of, 699
 - reduced content of, in Grade 115/145, 652
- Diesel, used in Junkers turbojets, 400, n. 36, 421
- ethers, 565, 701
- ethers, diethyl (anesthetic)
 - formed from ethylene and water, 701
 - knocking behavior of, 580-581
- ethers, diisopropyl
 - engine-tested and produced, 609-611
 - formed from propylene and water, 701
 - Grade 100/125, 638 f
- Grade 100/130, 639, 646, 654
- Grade 100/150, 644, 646, 653
- Grade 115/145, 646, 651, 652, 653
- Grade 150/270, 653
- Grade 153/153, 653
- heptane
 - blends in standard fuel system, 570
 - chosen by Edgar for lower end of fuel scale, 588-589
 - cost of, 612
- hydrocarbons, pure, research in, **617**
 - see also* Pure Hydrocarbon Research Project
- isooctanes
 - blend in standard fuel systems, 570-571
 - main constituents of "alkylate," 696
 - manufacture of, 703-705
 - production of, 602, n. 3
 - role of, in producing superior fuels, 601-602
 - use of, in fuel grade designations, 638, n. 3
- isopentane
 - characteristics and use of, 616
 - chemistry of, 695
 - developed as result of private enterprise, 551
 - knocking properties of, 581
- J-2, 400, n. 36
- kerosene
 - California, 581
 - Pennsylvania, 581
- lead (tetraethyllead)
 - Army and Navy use of, 584-585, 595-599
 - Army testing of, 583
 - chemistry of, 702
 - concentration increased in 100 PN fuel in 1941, 635
 - demand for lead-free high-PN fuel, 598-599
 - difficulties with, 597-598
 - effect on knocking, 582
 - early use of, 556-557
 - in obtaining high PN fuels, 589-590
 - in standard fuel systems, 570-571
 - manufactured by General Motors Chemical Co. as "Ethyl Fluid," 587
 - used in Rolls Royce R, 213

- used in Lion in 1927, 215, n. 18
production, in Britain, 222
- methyl aniline (monomethyl), chosen by British to study, 642
- naphthenes
chemistry of, 695
knocking behavior of, 580-581
- octane
chemistry of, 696
cost of, 611-612
development of methods of producing, 608-613
first synthesized and produced, 557-558
- olefins
knocking behavior of, 580-581
chemistry of, 698-699
- OPC-1 and OPC-2 produced and tested, 651
- paraffins
characteristics of, 696-697
chemistry of, 694-697
knocking behavior of, 580 f
- paraffins, branched chain, 549
chemistry of, 694-698
use in obtaining high PN fuels, 589-589
value of, discovered, 557-558
- paraffins, ring, structure of, 695
- propylene, used in manufacture of cumene, 639
- toluene
chemistry of, 699-700
discarded by Edgar in fuel scale, 588
ideal aromatic but not available, 656
use of, in establishing fuel scale, 580
- triptane
chemistry of, 697
considered the ideal aviation fuel, 657-658
contribution of, to knowledge of fuel behavior, 658
development of, 618-619, 656-658
unfeasibility of large-scale production, 653, 658
- xylidine
advantages and disadvantages of, in U.S. engines, 645-646
- characteristics and production of, 642-646
chemistry of, 701
controversy over fuels containing, 645
effect of, on production of super fuel, 646
engine operating difficulties with, 643-644
produced by hydroforming, 656
use of, in producing Grade 100/150, 644
- Galland, Major-General Adolf, 399, 400
- gas turbines
principles of, 323-324
invention of, 324, 485
compressors of 1930's too inefficient to make possible, 501, 507
efficiency improves at altitude, 334
- gas turbines, aircraft
first proposals of, 329, 440
studied by British in 1920, 329-331
attitude toward
general, 1920-1940, 331
of British industry in 1930, 335
of German industry in 1938, 386-388, 486
in U.S., in 1930's, 442, 446, 451
low weight, important reason for advocating
by RAE, 332-333, 349
by Schelp, 384-385
failure to predict low weight, reason for neglect in U.S., 441-443, 452, 459
not originated by established engine builders, 29, 85-86, 486-488
accepted as service engines in Britain, 371
problems of, compared with industrial gas turbines, 334, 446, n. 6
effect of future fuel development on performance, 562
see also turbojets, turboprops
- gas turbines, aircraft, counterrotating
preferred by Bramo, 390
developed by Weinrich, 393
development dropped in Germany, 402
see also Engine Index: 002 and 007

- gas turbines, aircraft, counterrotating, counterflow
designed by RAE, 333
developed by Rolls Royce, 355, 360, 365
- gas turbines, aircraft, free piston
studied by Birmann, 454
studied by Junkers, 387, n. 17, 390
see also Engine Index: PT-1
- gas turbines, industrial
development to 1939, 325-327
Karavodine, 382, n. 8
earliest successful, in U.S., on foreign license, 443, 460
development in U. S. ca. 1941, 459
- Gas Turbine Collaboration Committee, 466
formation of, 359-360
work on combustion, 432
- General Electric Company, development by, of
aircraft gas turbines, at Lynn
studies during 1930's, 440-442, 445
refusal to develop turbojet in 1939, 88-89
accepts Army contract to develop Power Jets' design, 462
for further work, see Engine Index: I through I-40
work equal to British, 97, 493
- aircraft gas turbines, at Schenectady
independent of Lynn work, 462
member of Durand Committee, 458
see Engine Index: TG-100, TG-180
- industrial gas turbines
1903-1907, at Lynn, 325
in late 1930's, and 1940's at Schenectady, 459
superchargers, 102-103, 501-502
turbine bucket materials and fabricating techniques, 496-498
turbosuperchargers, 120, 328-329, 628
- General Motors Chemical Company, 197, 587-588
- General Motors Corporation
buys Allison, 274
finances development of V-1710, 280
heptanes engine-tested by, 589
Research Laboratories Division ex-
- plores methods of triptane manufacture, 657
- General Staff, German, orders development not to interfere with production, 398
- Gibson, Prof. A. H., 124-125, 134, n. 21, 177, 178, n. 19, 197, 576-578, 667
- Gilman, N. H., 274
- Gnome-Rhône, *see* Société des Moteurs Gnome et Rhône
- Goering, Hermann, 399, 400
- Götaverken system
studied by Pratt & Whitney, 452-453, *see also* Engine Index: PT-1
proposed to Durand Committee, 459
see also gas turbines, aircraft, free-piston
- Göttingen, University of, 377
- government
control of development by
in detail
in U.S., 17-25, 39-40, 161
not in Britain, 42
in general lines, 26-30, 40, 114, 665
development dependent on, 7
research by, 152
role of, in development of fuels, 600-619
see also
Air Ministry, British
Air Ministry, German
Army (U.S.)
Military Services
NACA
Navy (U.S.)
Royal Aircraft Establishment
Royal Aircraft Factory
"government furnished equipment," 58, n. 21
government payment for development, direct, 61-83
all development dependent on
in Britain, 42-43, 199, 225, 243
in Germany, 388, n. 20
in U. S. before 1926, 41, 160
in U.S. after 1926
not usually necessary, 195, 249
essential in certain cases, 10, 41-42, 61, 83, 249, n. 4
liquid-cooled engines, 246, 249
all gas turbines except PT-1, 466
total amount increases, 249

- proposed as general policy in 1939, 47, 289
 attitude of U.S. and British firms toward, compared, 44-45
 insufficient as sole incentive in Britain, 57-60, 150, 152, 201, 206 in U. S. 61-65, 83, 184, 195
 effect on engine cost, 47-49
 quality, 54-57
see also risk, development contracts
 Green, Captain, 679
 Green, Major F. M., 124, 127, 132, 133, 576, 679
 Griffith, A. A., 332, 349, 350, n. 18, 355 360
 ground boosting, *see* supercharging, sea-level
 Guillaume, M., 324, 334
- Hahn, Max, 377
 Halford, Major F. B., 356
 Hall Aluminum Aircraft Company, 275
 Hallett, Capt. G. E. A., 15, n. 1
 Harvard University, 506
 Hawker Aircraft, Ltd, *see* Airplane Index: Fury, Fury (new), Hart, Hurricane
 Haynes, Elwood, 495
 Haynes Stellite Company, 463, 495, 496, 621, n. 2
 Hazen, R. M., 277
 Heenan & Froude, 128, n. 12
 Heinkel, Ernst, 88, 377, 378, 396, 397
 Heinkel Airplane Company (Ernst Heinkel Flugzeugwerke G.m.b.H.), 85
 early development of rocket-powered airplanes, 377-378
 wants to produce both engines and airframes, 395
 undertakes turbojet development in 1936 with no engine development experience, 377
 bench engine with hydrogen fuel built and tested, 378
 builds flight engine 1937-1938, 378
 develops own combustion system, 378
 refuses to give over turbojet to Daimler-Benz, 394-395
- finances own turbojet development, 379, 393, 395
 cost of early work, 90, 378
 takes over Junkers airframe division engines, 395-396
 obtains government contracts, 397
 development of ducted fans, 401, 405-407, 409
 yields to Ministry on design, 403-404, 408, 410-411
 facilities inadequate, 395, 407, 410
 size of staff, in 1939, 395, 406-407
 acquires Hirth Motoren, 395, n. 30, 398-399, 409
 unable to do proper engine development, 410
 poor judgment in developing large variety of engines, 24, 94, 410
see also Engine Index:
 001 021
 006 He S-3b
 011 He S-6
- Henderson, Lt.-Gen. Sir David, 127
 Henschel Airplane Works, 413
 Heron, S. D., 29, 124-125, 127, 132, 133, 177, 184, 191, 192, 197, 198, 214, 253, 268, 592, 667, 669
 Herriot, J. P., 361, 373
 Hibbard, H. P., 450
 Hirth Motoren, G.m.b.H., acquired by Heinkel, 395, n. 30, 398-399, 409
 Hispano-Suiza, *see* Engine Index: Hispano-Suiza
 Hitler, Adolf, 400
 Hives, E. W., 216
 Hobbs, L. S., 290, 451, 453, 620, 688
 Holley Carburetor Company
 attempts independent development of large aircraft carburetor, 517
 backs Chandler-Groves Company, 517-518
 limits development expense, 524
 see also carburetors, Holley
 Holzwarth, Karl, 325, n. 5
 Hooker, Stanley G., 227, 360
 Horning, H. L., 586, 587
 Houdry, Eugene, 615 f.
 Houdry cracking process, 326
 see also crackers, catalytic
 Howard, Maj. C. W., 556, 595 f, 599
 Hoyt, Richard F., 173, 185

- Hunsaker, Commander J. C., 167, 453, 467
 hydrogenation, 611
- icing, induction system, *see* carburetors, fuel injectors
 Ickes, Harold L., 634
 Imperial Airways, 141, 142, 149, 211
 incentives for development, *see* government payment for development, profits
 inducers, 224
 industry, aircraft-engine, British
 state of in 1914, 123; in 1916, 126
 develops gas turbines with little de- traction from development of con- ventional engines, 492
 industry, aircraft-engine, German, sta- tus of in 1938, 387
 industry, aircraft-engine, United States
 created after 1919, 159
 status of, in 1926, 247
 excluded from gas-turbine develop- ment during war, 458-459, 467, n. 28, 490, 492-493
 industry, aircraft-engine, entrance of new firms into
 discouraged in Britain, 43, 76
 encouraged in U.S., 43-44, 76-77
 difficulties of, 13
 inadequate development facilities, 76-83, 96-97
 inadequate production facilities, 80, 96-98
 to be encouraged only when neces- sary, 83, 99
 necessary under certain circum- stances, 13, 111
 in development of innovations, 93- 98, 99
 to be given adequate government support if any, 81-83, 98, 99
 and development of accessories, 111- 112
 injection, "anilol," 648
 injection, water
 European and Canadian develop- ments of, 648
 Rolls Royce experiments, 222
 U. S. development of, 646-651
 on R-2800, 676
 on Packard Merlin, 222, n. 28
- compared with aftercooling, 230, n. 34, 676
 patents on, 650 f
- innovations
 defined, 84
 extremely rare, 90-91
 attitude of established firms toward, 13, 86, 98-99
 innovations, development of, 84-99
 early financing, 12-13
 government should support, 86, 87- 92, 99
 to be carried out by experienced firm when possible, 98
 in accessories, 110
 installation, submerged
 of Condor in 1920's, 202
 proposed by Rolls Royce in 1930's, 682, n. 25
 in U. S. in 1930's, 254
 advocated by Army, 270-271, 287, 682
 airlines and plane manufacturers interested, 682
 proposed by Pratt & Whitney, 286, 290
 difficulties of, 254, 682-683
 in U. S. after 1940, 683, n. 28
 intake, air, ramming, 209
 intercooler, compared with aftercooler, 230
 see also aftercooler
 intercoolers, individual, on R-1820-29, 442, n. 1
 iodine, effect on engine knocking, 582
 Ipatieff, Vladimir, 703
- Jacobs, Eastman N., 451, 459, 460, 468, 508
 James, W. S., 583
 Jato, *see* jet-assisted take-off
 Jeffrey pine oil, heptane extracted from, 588
 Jersey, *see* Standard Oil Company of New Jersey
 jet-assisted take-off, 322, n. 1
 in Germany, 382, n. 9
 jet propulsion
 principles of, 321-324
 distinguished from rocket, 321
 proposed very early, 321, 485

General Index

CFR develops standard engine for, 587

CFR standardizes on octane scale, 587

required in Army fuel specifications, 596-597

benzol added to octane, 587

in single-cylinder engines, at Wright Field, 591

in full-scale engines, by CFR-AFD, 600-601

toluene number scale, 580

studies of, first published, 560

used to rate air-cooled cylinders, 579-580

Koppengberg, Heinrich, 379

Kraus, Professor C. A., 587-588

Kraus, Lt.-Commander S. M., 163, 167

Krupp (Friedrich Krupp A. G.), 426

Kuhring, M. S., 648, n. 9

Laidlaw, Drew and Company

designs Power Jets combustion system, 349

takes Power Jets stock in return for services, 343

Lanchester, F. W., 680

Lasley, R. E., 443, 484

Lasley Turbine Motor Co., 443-444

Lawrance Aero Engine Corporation, 28, 62-63, 162-175, 176, 196

formation of, 162

status in 1919, 159, 163-164, 177

first quantity sales, 164

finances production of J by loan, 169

facilities inadequate, 171-172

becomes profitable, 175

merged with Wright, 173-175

see also Engine Index:

| | |
|--------------|--------------|
| A | L |
| B | N |
| J (Lawrance) | R (Lawrance) |

Lawrence, Charles L., 162, 163, 175, 183, 192

Leighton, Lieut. B. G., 167, 168, 184

Leist, Karl, 397, 437, n. 11

Leistriz, 417

Lemale, C., 325, 384

Lewis Flight Propulsion Laboratory, 651

Lindbergh, Colonel Charles A., 194, 248, 273

liquid-cooled and air-cooled engines compared, 250-256, **665-692**

in 1922, 171

in ship-based aircraft, 166, 257

in weight-carrying airplanes, 56

in civilian transports, *see* airplanes, civilian transport

see also:

| | |
|------------------|----------------|
| cooling | power, reserve |
| drag | reliability |
| durability | supercharging |
| fuel consumption | visibility |
| maintenance | vulnerability |
| power, maximum | weight |

liquid-cooled engines

in First World War

dominant type in latter half, 123, 156-157

difficulties with, 127

status in U.S. in 1927, 247

decline of, 1928-1932, in U.S., 259-262

U. S. inferior to British in 1932, 262

uses of

in long-range airplanes, 205, 206, n. 6

in British fighters in 1930's, 215

liquid-cooled engines, development of in Britain, 1919-1942; *see* Rolls Royce, Napier

primarily intended for use in fighters, 203

effect of Schneider Trophy contest on, 215, 553-554

see also cylinders, liquid-cooled

liquid-cooled engines, development of, in U. S. in 1930's, **265-295**

economic problems of, **246-264**

chief market Army fighters, 257, 272

compared with development of air-cooled engines, 246, **263-264**

effect of Schneider Trophy contest on, 266

justified for military reasons, **263**

types wanted by Army in 1939, 288

results, **296-320**

Ljungstrom turbine, 390, n. 23

Lockheed Aircraft Corporation

designs turbojet at own expense, 88, 449-450

design very difficult to develop, 95

- see also Engine Index: L-1000
 Lodge, Sir Oliver, 577
 Loehner, Kurt, 389
 Loening, Grover, 163
 Lorin, René, 323-324
 Lorraine Dietrich, 147
 see also Engine Index: Lorraine Dietrich
 Lovell, Wheeler G., 589, 617
 Lubbock, I., 351, 354
 Luftkriegsakademie, Gatow, 413, 415, 432, 437
 Lucas and Company, Ltd, 359
 Lusser, Robert, 391, 393
 Lycoming Division, Aviation Corporation, 281, n. 19
 Lycoming Manufacturing Company
 develops O-1230 on own initiative, 281
 invests own funds in
 O-1230, 282, 301
 H-2470, 293
 size of staff, 282
 sets up factory for H-2470, 292
 see also Engine Index:
 H-2470
 O-1230
 R-7755
 Lyon, Colonel A. J., 461
 Mader, Otto, 379, 387, 390, 396, 418
 magnesium, used in production of triptane, 656
 maintenance, of air and liquid-cooled engines compared, 171, 254-255, 689
 M.A.N. (Maschinenfabrik Augsburg-Nuernberg), 413
 market for engines
 in U. S. in early 1920's, 160, 172
 in U. S. after 1926, 247-248
 for air and liquid-cooled engines compared, 256-260
 in Britain, for turbojets in 1935, 338-339
 market for engines, civilian, in U.S.
 effect on engine design, 51, 54-57, 58, 60
 expected to exceed military in late 1920's, 248
 market for engines, military
 characteristics of, in U. S. and Britain, and effect on engine design, 55-56
 assurance of
 for Wasp, 65-66
 for Kestrel, 207
 lacking for U.S. liquid-cooled engines, 67-68
 desirable, 10, 65-69
 Marsh, A. L., 622
 Marvel Carburetor Company
 bought by Borg-Warner, 532
 see also fuel injector, Marvel
 McCook Field, see Army, U. S.
 Massachusetts Institute of Technology, 452, 458, 506
 Mauch, Hans A., 382, 383, 385, 386, 390, 391, 393-397, 420, n. 60, 488
 Mead, George J., 185, n. 25, 187, 188, 285, 286, 290, 632
 Menasco Manufacturing Company, 479
 Meredith, F. W., 237
 Messerschmitt, Willy, 395, n. 30
 Metropolitan-Vickers Electrical Company, Ltd, 224, 328
 see also Engine Index: B-10, D-11, F-2
 Midgley, Thomas, 197, 198, 549, 575, 579, 582, 583, 587, 621
 Milch, Col.-General Erhard, 399, 400
 military services, U. S.
 conduct of development by, 7, 15-17, 160-162
 assumption of responsibility for engine design by, 15
 conduct of research by, 8-9, 30-36, 39, 196
 role in development of accessories, 112-119
 financial, 112-113
 technical, 106, 113-114
 existence of two independent, effect of on development, 11, 56, 116
 see also government
 Army, U. S.
 Navy, U. S.
 Ministry of Aircraft Production
 takes over materiel functions of Air Ministry, 353
 administration of gas turbine development in, 353-354, 363-364, 371

- orders RAE to hasten turbojet development, 356
 requests development leading to
 Goblin engine and Vampire airplane, 356
 Nene engine, 371-372
 supplies facilities for turbine development, 351, n. 20, 354, 364
 plans for quantity production of turbojets, 357-358
 forms Gas Turbine Collaboration Committee, 359-360
 nationalizes Power Jets, 346-348, 369-371
 assigns high priority to turbojets in 1944, 373
 Ministry of Communications (German), 382
 Mock, F. C., 521, 535, 536, n. 34
 Moffett, Rear-Admiral W. A., 167, 188
 Morris Motors, Ltd, 242
 Moss, Sanford, 325, 328, 329, 444
 moth balls, 582
 Mueller, Max Adolf, 380, 396, 398, 406, 407, 409, 421, 426
 NAF, see Naval Aircraft Factory
 Napier, D., and Sons, Ltd, 43, 45, 58
 development of
 engines, see Engine Index: Lion, Sabre
 radiators, 240
 turbosuperchargers, 206, n. 5, 224
 refuses to build monobloc V-12 and builds one with individual cylinders, 206, 211
 declines after 1920's, 28
 National Academy of Sciences, 327
 investigates gas turbines for ship propulsion, 443, 459
 investigates rockets, 457
 National Advisory Committee for Aeronautics (NACA), 8, 33-34, 39
 development of
 air-cooled cylinders, 670
 axial compressor, 460, 482, 508
 ducted fan, 450-451, 468, 476-477
 superchargers, 506
 assists in development of turbojets, 491
 facilities for, 491, n. 4
 research on
 fuel injection, 529-530
 hydrocarbons, coordinated with API, 618
 evaluation of triptane, 657
 thrust augmentors, 445
 committees reorganized, 506, n. 21
 Aircraft Engine Research Laboratory, 33, 651
 National Advisory Committee for Aeronautics, Special Committee on Jet Propulsion (Durand Committee), 38
 formation and membership, 458
 aircraft-engine companies excluded, 458-459
 activities of, 459-460, 468
 not informed of I engines, 467, n. 27
 National Advisory Committee for Aeronautics, Subcommittee on Aircraft Fuels and Lubricants, 632-634
 National Advisory Committee for Aeronautics, Subcommittee on Superchargers, 506
 National Bureau of Standards
 1923 study of jet propulsion, 444-445
 fuel investigations by, 583, 586 f, 618
 Nallinger, Fritz, 387
 National Aeronautical Research Policy, 26, 34
 Naval Aircraft Factory (NAF), 16, 169, 456, n. 17
 naval aviation
 history of, 165, n. 6
 status of, in U. S. in 1919, 165-166
 importance of reliability in, 168, 182
 U. S. and British compared, 56
 independence of, see military services, existence of two independent
 Navy, British
 relies on private industry for aircraft in First World War, 126
 supports development of radial engines in 1917, 127
 Navy, German, supports development of gas turbine for PT boats, 393
 Navy, U. S.
 competition promoted by, in early development of air-cooled engines, 172-175, 188
 control by, of technical course of

- development of fuel injectors, 114-115
 cooperation, discourages, in gas turbine development, 467, 491-493
 desire of, for very large engines in late 1930's, 688
 development by, of
 airplanes, 161
 engines
 in general, left to industry, 161
 see also Engine Index: air-cooled in-line trainer
 EDO officers, *see* Engineering Duty
 Only officers
 fuels, leaded, use of, 584-585
 gas turbines
 for ship propulsion, has study of made by NAS, 443
 for aircraft, has study of made by TEC, 454, 456
 by Allis-Chalmers, 460
 "high-speed development program," 266, 267, n. 1
 liquid-cooled engines, attitude toward
 in 1927, 183, 260
 in 1930's, 67, 257, 266, 284
 in 1937, 688
 Pratt & Whitney, supports formation of, 187-188
 research on electric starters by, 120
 refuses information on gas turbines to other government agencies, 491
 sponsors development of
 carburetors, floatless, 102, 116-117, 516, 519-521
 engines, air-cooled, 28, 62-63, 163-175, 182-188, 196
 see also Engine Index:
 B P-1
 J P-2
 L Simoon
 N Whirlwind
 engines, Diesel, *see* Engine Index:
 Allison Diesel
 engines, liquid-cooled
 by Wright, 1930-1936, 266-267
 Allison V-1710, 275-276
 Packard X-2775, 259, n. 8
 see also Engine Index:
 D-12 Hispano-Suiza
 H-2120 (Wright)
- H-2470 T
 H-3730 U-8D
 engines, two-row, 686, n. 32
 fuel injectors, 103, 116, 535-536, 541-542
 gas turbines, for ship propulsion, 459
 sleeve valves, 91, 268
 turbojets
 by TEC, 457
 see also Engine Index: 19A, 19B
 turboprop, by Northrop, 447
 turbosuperchargers, 455-457
 turbojets, attitude toward, 456, 457, 461, n. 20, 470, 471
 Wright forced to develop 200-hp air-cooled engine by, 28, 174, 196
see also
 Aircraft Engine Laboratory
 Bureau of Aeronautics
 Naval Aircraft Factory
 Nerad, A. J., 474
 New London Ship & Engine Co., 162
 nickel
 shortage of, in Germany, 387, 425, 427
 amount in 003, 416
 amount in 004, 428
 Niles-Bement-Pond, 187, 525
 Ninnis, Roger N., 138, n. 28
 Northrop, J. K., 446
 Northrop Aircraft, Inc.
 risks \$25,000 in Turbodyne, 88, 447
 see also Engine Index: Turbodyne
 Nutt, Arthur, 261, n. 10, 598
- octane numbers, explanation of, 570
 Oestrich, Hermann, 388, 389, 437
 Office of Petroleum Coordinator
 action of, in regard to military petroleum supplies, 635 f
 established, 634
 Division of Refining studies facilities for production of 100 PN fuel, 635-636
 O'Gorman, Mervyn, 124
 OPC, *see* Office of Petroleum Coordinator
- Packard Motor Car Co., 16, 157
 and Liberty engine, 158

- experimental work 1919-1924, 158-159
 ceases development of liquid-cooled engines, 259-260
 development of Diesel engine, 260
see also Engine Index:
 1500 Packard Diesel
 2500 X-2775
 Merlin (Packard)
 Page, Colonel E. R., 279, 441, 556
 Pan American Airways, use of 115 PN fuel by, 612
 Pan American Petroleum & Transport Company, 632
 patents
 of little value in connection with well-known type of engine, 65, n. 3
 danger of, as hindrance to progress, 104
 effect of, on competition, 104, 110
 importance of
 in development of accessories, 103-104
 in formation of Power Jets, 337
 royalties on, in Britain, 48, n. 8
 Pavlecka, Vladimir H., 446
 PAW, *see* Petroleum Administrator for War
 Performance Number (PN) fuel scale introduced, 603, n. 4
 reason for use in fuel rating, 570 f.
 performance specifications
 not set by British government, 72 in U.S.
 purpose of, 117
 difficult for new device, 114
 on accessories, 112, 117, 537, 539
 criticized, 116-117
 on fuels, Army Y 3557, 596
 personnel, government, engineering-administrative, 35-40
 British and U. S. compared, 70-72
 military, inadequacies of, 23
 overconservation and overoptimism of, 37-38
 promotion of, 36-37, 39
 research by, 35
 salaries of, 11, 35-36
 tenure of, 37-39, 71, 83, 92
 effect of lack of, 10, 69, 71-72, 74, 76
 U.S., in 1920's and 1930's compared, 35
 personnel, trained, shortage of, in Germany, 398-399
 Pescara, 452, n. 13
 Peters, W. A., Jr., 615, n. 11
 Petroleum Administrator for War
 established, 636
 study by, of methyl aniline, 642
 conflict of, with some of the engine manufacturers over grade 100/130, 659 f.
 Pew, A. E., Jr., 615, n. 11
 Phillips Petroleum Company, 612, 616, 655
 Pierce (S.S.) Airplane Co., 162
 pistons, forged, used on Bristol Mercury and by Armstrong Siddeley, 144
 Pohl, R. W., 377
 power, increased engine, effect of high PN fuels on, 558 f
 power, maximum, of air and liquid-cooled compared, 199, 215, 255-256, 259, 684-689
 power, reserve, of air-and-liquid-cooled engines compared, 254, 691
 Power Jets, Ltd, 85
 formation of, 87, 336-341
 importance of, 111
 capitalization of, 340
 expenses of, 90, 342-346
 financial difficulties of, 342-345
 issues stock for services, 343-345
 soundness of early development policies, 95-96
 difficulties with Rover, 359
 relations with aircraft-engine firms, 370-371
 nationalized, 346-348
 terms of, 347-348
 reasons for, 370-371
 see also Engine Index:
 W-1 (Power Jets) W-2B
 W-1X W-2B Mark II
 W-2 W-2X
 W-2/500 W-3Y
 W-2/700 WU
 Power Jets (Research and Development) Ltd, formation of, 370
 Prandtl, Ludwig, 386

- Pratt & Whitney Aircraft Company
 formation of, 18, 66, 77, **186-188**
 importance of, 111
 supported by Navy, 187
 annual engineering expenses of, 268
 cooperates in development of
 carburetors, 106-107, 110, 523,
 525-526
 fuel injectors, 106, 108, 118, 534,
 539, 542
 spark plugs, 625
 development by, of
 baffling, 680
 bearings, silver-lead, 33, 111
 engines, air-cooled, 555
 two-row, 686, n. 32
 see also Engine Index:
 Hornet R-2800
 R-1535 R-4360
 R-1830 Wasp
 R-2180
 engines, liquid-cooled
 persuades Navy to back, 256,
 284, 688
 discontinued in 1939-1940, 290-
 292
 see also Engine Index: H-3730,
 X-1800
 gas turbines, 452-453
 see also Engine Index: PT-1
 impeller injection, for carburetors,
 106, 523, 538, n. 37
 liquid-cooled cylinders, 283
 sleeve valves, 285
 see also Engine Index: H-3730,
 X-1800
 superchargers, 110, 111, 305, n. 7,
 311
 water injection, 648-650
 research by, on
 aftercooling, 230, n. 4
 cooling drag, 291
 fuels, 214
 secrecy of, concerning PT-1, 491
 turbojet studied by, 452
 Pratt & Whitney Company, 187, 188
 precipitation hardening, 498, n. 16
 Prescott, Ford L., 647, 670
 pressurized cabins, 257, 339, n. 10
 Prestone, *see* cooling, ethylene glycol
 Price, Nathan C., 448, 460
 price, "fair", 47
 price of engines
 effect of competition on, in U.S., 49,
 188
 see also cost of engines
 private firms
 advantages of development by, 17,
 20, 25
 research by, **31-33**
 importance of, in development of
 fuels, **549, 551**
 "private venture", 43, 72, n. 9
 procurement
 need for separation from develop-
 ment, 17
 legal rules on, U. S. rigidity com-
 pared with British flexibility, 74-
 76
 production
 from drawings, without development
 of Sunbeam Arab and of ABC
 Dragonfly, 130
 of Rolls Royce Derwent V, 373
 of engines, German, effect of change
 to turbojets on, 400, n. 35
 pilot, defined, 415, n. 54
 profit
 "fair", 47-48
 on development contracts, *see* de-
 velopment contracts, profit on
 profits on quantity production
 British and U.S. compared, 46
 essential as incentives, 9
 in Britain, **57-59**
 in U.S., **61-64, 195**
 greater on large than on small en-
 gines, 172, 195
 proknocks, defined, 582
 propellers
 controllable-pitch
 development of, 57, 628-630
 importance of, 202, 224, 630, n. 10
 constant speed, effect of, on carbu-
 retors and fuel-injector develop-
 ment, 514, 532
 efficiency of, at high airspeed, 384,
 389, n. 22, 401
 Prym, 427
 pulsejet
 development supported by German
 government, 88, 381-382, 385, 394,
 n. 28, 398, n. 33
 studied by Schelp, 385

- Pure Hydrocarbon Research Project,
 founded by API, 617 f
 Pye, David R., 71, n. 7, 341, 343, 580-
 581
 quality of engines, American and Bri-
 tish compared 9, **49-54, 60**
 radial engines
 fixed, advantages over rotary type,
 125
 liquid-cooled rarely successful, 666
 radial engines, two-row
 development of, in U. S., **686-687**
 problems of, in 1930, 685
 power of, in 1936, 283, n. 21
 torsional vibration, 149
 production of, more expensive than
 of single rows, 135, n. 22
 and development of baffling, 680
 radiators
 development of, by Rolls Royce, **239-
 242**
 honeycomb, 239-241
 secondary-surface, 241-242
 development of, in U. S., 671, n. 10
 submerged installation of, in
 Mosquito, 238
 Mustang, 238, n. 47
 Westland Whirlwind, 238
 new Hawker Fury, 238, n. 47, 684
 wing-surface, 236
 drag of, *see* drag of liquid-cooled
 engine and radiator
 weight of, *see* cooling system, weight
 of
 ramjets
 development supported by German
 government, 382, 385
 studied by Schelp, 385
 Rateau, Auguste, 224, 328
 Rato, 322, n. 1
 reduction gears, propeller
 value of, 146, 191, 193, 202
 used by British in First World War,
 by U. S. much later, 193, 630, n. 10
 first successful, for radial engines, de-
 veloped by Farman, 630, n. 10,
 cf. 138, n. 28, 146
 effect of, on torsional vibration, 146
 two-speed, developed by Allison,
 630, n. 10
 use of, on
 Bristol Jupiter, 146, 630, n. 10
 Cosmos Jupiter, 136
 Hornet, 190-191, 193
 Jaguar, 147
 Kestrel, 208
 Rolls Royce R, 212
 Wasp, 193
 Reid vapor pressure requirement, add-
 ed to Army aviation fuel specifica-
 tions, 573
 reliability of air and liquid-cooled
 engines compared, 256-257, 689-690
 Rentschler, F. B., 173, 175, 185, 187,
 188, 290
 research
 difference from development, 34-35
 facilities for, 32
 prerequisites for, 34
 see also: NACA
 military services, research by
 private firms, research by
 Research Institutes, German
 role in gas turbine development, 437
 see also AVA, DVL
 Reuter, Hermann, 414, n. 52
 Ricardo, Harry Ralph, 268, 269, 285,
 551, 557, 560, 579-581, 588, 670
 Rich Tool Company, 198
 risk, assumed by government
 in U. S. in early 1920's, 165-166, 184
 in Britain, contrasted with U. S.,
 after 1926, **45-46**
 risk, private, as source of funds for de-
 velopment, 9
 in Britain
 in development of Cosmos Jupiter,
 136
 in early work of Bristol, 153
 Fairey tries to enter engine busi-
 ness at, 205, n. 4
 willingness to take, declines gener-
 ally, 337
 usually eliminated for regular en-
 gine builders, **41-60, 59**
 pays 84% of Power Jets' early
 work, 345, 348, 489
 in U. S.
 almost none before 1926, 41, 160
 becomes characteristic of most
 U. S. development after 1926,
 41-60, 195

- Lawrance Corporation's, in development of J, 166-167
 very small on development of liquid-cooled engines after 1926, 246, 249, 263
- in Germany
 early turbojet development financed by, 484, 488-489
 early development of airframes for jet propulsion financed by, 391
 cannot be relied on for innovations, 87-89
- RLM, *see* Air Ministry, German
 rocker boxes, integral, 190, 192, n. 34
- rockets
 distinguished from jet engines, 321
 early use of, 322
 fuel consumption of, 322
 effect on, of future fuel development, 563
- studied by
 CIT, 457-458
 Germans, 382, n. 9
 NAS, 457
 Whittle, 334
- developed as aircraft power plants in Germany, 88, 382
 effect on U. S. Army, 458
- Rohm & Haas Company, 602, 604
- Rolls Royce, Ltd, 544
 development by, of
 air intake, ramming, 209
 automatic boost control, 209
 cooling system, 120-121, 231-242
 exhaust stacks, jet, 237, n. 46
 gas turbines
 counterrotating counterflow, 355, 360, 365
 turbojets, 360, 365, *see also* Engine Index:
 Derwent I through V
 Nene
 Welland
 WR-1
- reciprocating engines, 199-245
 during First World War, sponsored by Admiralty, 127, n. 10
 refuses to do, 1919-1921, 201
see also Engine Index:
 Buzzard Hawk
 Condor Kestrel
- Eagle
 Eagle (H-24)
 Falcon
 Goshawk
 Griffon
- Merlin
 Peregrine
 R (Rolls Royce)
 Vulture
- sea-level supercharging, 214-215
 speed-density fuel-metering system, 527-529
 superchargers, 208-209, 224-231, 308-309
 turbosuperchargers, 202, 224, 229
 finances early development of Merlin from own funds, 216
 flight-test establishment of, 232
 installation engineering by, 231
 license given to Brazil-Straker, terms of, 129
 status of, after First World War, 199-201
- Roosevelt, F. D., 631
 Roots blower, tried by RAE, 223
 Roskopf, Hans, 414
 rotary induction system
 defined, 179
 on Smith Static, 134
 on Jaguar, 134, 178
 on Wright R-1, 178-179
- Rover Company, Ltd
 undertakes to produce Power Jets engines, 358
 sets up new factory, 358
 difficulties with Power Jets, 359, 366
 employs Lucas to develop combustion system, 359
 size of staff, 359, n. 30
 experience of staff, 361
 given authority to develop its own engines, 361
 hands W-2B over to Rolls Royce, 365
 development of straight-through combustion, 366
see also Engine Index: W-2B/23
 W-2B/26
- Rowbotham, Norman, 138, n. 28
 Rowledge, A. J., 200, 202, 207, 212, 216
 Royal Air Force College, 333
 Royal Aircraft Establishment, 72, 205
 successor of Royal Aircraft Factory, 42, n. 1
 casting of cylinders by, 144, 148, n. 39

- development by, of
 air-cooled cylinders, 131
 automatic boost control, 209, n. 12
 axial compressors, 332, 350, n. 17, 356, n. 25, 374-375
 cooling systems, 121, 234, 239-240
 gas turbines
 turboprops, 332, 333, 349, 350;
 see also Engine Index: B-10, D-11
 turbojets, *see* Engine Index: F-2
 superchargers, 139, 144, 208, 223-224
 turbosuperchargers, 145, n. 37, 224, 328
 research by, on theory of radiator drag, 236-237
- Royal Aircraft Factory
 formation of, 124
 development by, of
 airplanes, 126
 engines, 124-125; *see also* Engine Index, Raf
 superchargers and turbosuperchargers, *see* Royal Aircraft Establishment
- research by, on
 engine cooling, 576-577, 667
 air-cooled cylinder design, 124-125
 made into research institution, 126-127
 becomes Royal Aircraft Establishment, 42, n. 1
- Royce, Sir Henry, 200, 203, 207, 212, 216
 Russell, R. P., 608
- Sachse, Helmut, 387
 Saechsische Metallwarenfabrik Wellner Soehne A.G., 417, n. 57, 428
- salaries
 in government, *see* personnel
 in private firms, 35, n. 12
- Salon aéronautique, 138
- Schelp, Helmut, 383-386, 391, 392, 395, n. 30, 397, 398, 402-404, 408-410, 417, 421, 435, 437, 488, 489
- Schmidt, Paul, 381, 382, 385, 398, n. 33
- Schneider Trophy contests
 importance of, in development of engines and fuels, 214-215, 553-554
 of 1919, won with Cosmos Jupiter, 137
- of 1923, won with D-12, 204
 of 1925, won with Curtiss V-1400, 247, n. 1
 of 1927
 won with Lion, 211
 Bristol Mercury developed for, 143
 Packard X-2775 developed for, 259, n. 8
 of 1929 and 1931
 won with Rolls Royce R, 213
 cost of, to British, 267, n. 1
 effect on U. S. development of liquid-cooled engines, 266
- secrecy, effect of
 on development of gas turbines in U. S., 490-492
 on development of Marvel fuel injector, 533, n. 31
 on raising of capital for Power Jets, 342
- Seewald, Friedrich, 437
 Self, Sir Henry, 304
 Shell (British), support of the joint fuel-engine problem, 579-581
 Shell Oil Company, Inc., 605, 607 f, 611, 639, 655
 Sherbondy, E. H., 328
 Sherman Act, 635
 Shinnecock Airplane Co., 162
 Shoults, D. R., 461
 Siddeley, J. D., 131, 133, 140, 150
 Siddeley Deasy, *see* Engine Index: Jaguar, Puma
- Siemens Apparate & Maschinen G.m.b.H., 388, n. 18
 Siemens & Halske A. G., 388, n. 18, 622, 623
 size of engines, U. S. and British compared, 51-52, 54
 Skinner's Union, 528
- sleeve valves, development of
 in Britain
 by Ricardo, 670
 by Bristol, *see* Bristol Aeroplane Co.
 in U. S.
 by Pratt & Whitney, 285
 by Continental, 269
 a waste of Navy money, 91
- Smith, F. R., 133
 Smith, John W., 128, *see also* Engine Index: Smith Static

- Société anonyme des turbomoteurs, 325
- Société des moteurs Gnome et Rhône builds Bristol Jupiter on license, 138 sells engines to KLM, 142, n. 33 engineering during 1920's, 138, n. 28 equips Jupiter with reduction gear, 630, n. 10 licenses reduction gear to Bristol, 146 designs engines independently after 1929, 148
- Society of Automotive Engineers (SAE), takes part in sponsoring and financing the CFR, 585-586
- Socony-Vacuum Oil Co., Inc., 615
- Sopwith Aviation Co., Ltd, 137
- spark plugs development of, with advent of 100 PN fuel, **622-625** defects of mica insulation, 622, 625 defects of porcelain insulation, 622 platinum electrodes in, used on Hurricane and Spitfire, 623
- Sparrow, Stanwood, 583
- "specialists" defined, 100 relations with engine builder, **105-112, 118-119** controversies, 107 relations with military services, **112-119** lack of test equipment, 106-107 reasons for eliminating, 107-108 reasons for preserving, 108-112 conclusion: to be preserved, 112, 121
- "specialties," defined, 100
- specifications, by government, *see*: design specifications fuel specifications performance specifications
- speed-density, *see*: fuel-metering system fuel injectors
- speed of airplanes cost of, in power, 487 limits on, studied in Germany, 383-384
- Speer program, 437
- Standard Oil Company (Indiana), 598, 632, 655
- Standard Oil Company of New Jersey, 602, 607, 611, 616
- Standard Oil Development Company, 587 f, 608
- starters, electric, 120
- Steel Products Engineering Corporation, 516, n. 11 *see also* carburetors, SPE
- Steelman, John R., 35, n. 12
- Stern, W. J., 329, 330, 331
- Stewart-Warner Corporation, 519, n. 15
- Stodola, A., 454
- Stromberg Motor Devices Co. enters aircraft carburetor field, 101, 511 obtains monopoly, 101 developments, *see* carburetors, Stromberg merged in Bendix Aviation Corporation, 517, n. 13
- Sun Oil Company, 615, 635
- Sunbeam Motor Car Co., 126, n. 7 *see also* Engine Index: Arab
- surplus, war, effect on development in Britain, 199, 200-201 in U. S., 160, 172
- superchargers, aerodynamic development of, by RAF and RAE, 139, 144, 208, **223-224** by Rolls Royce, **223-228** by DVL, 507 in U. S., 102-103, **501-507** by G.E. solely before 1935, **501-502** by Wright, 107, **502-505** by Pratt & Whitney, 107, 305, n. 7, **504-506** by NACA, **506** lag caused by ignorance of performance, 508 *see also*: compressors, centrifugal, development of; diffusers
- superchargers, efficiency of British ca. 1915, 223 ca. 1930 (Kestrel), 208, 225 ca. 1940 (Merlin), 228 in 1945 (Merlin), 241 German, 225, n. 29, 386, 387, 507 inferior to British, 298 U. S., 441, 455, 456, n. 17, 481, **501-503**

- inferior to British in 1920's, 193-194
- inferior to British in first half of 1930's, 102, 481
- equal to British by 1939, **503**, n. 19, **507**
- superchargers, performance of affected by carburetor, 106, 538, n. 37 engine builders unaware of in Britain, 225-226 in U. S., 103, 111, **501-502**, 505-506
- superchargers, production of, by G.E., 108, 504
- superchargers, gear-driven, early use of on Raf la, 223 on Raf 8, 132, 223 eliminated from Jaguar in 1919, 134 restored to Jaguar ca. 1923, 139, 146 backed by British Air Ministry, 203 introduced by Rolls Royce, 203 on Kestrel, 207-208, 223 on R, 212, 213, 225 on Napier V-12, 206 on R-1454, 180 on P-2, 185 on Wasp, 193 on Mercury, 144 on Jupiter, 146
- superchargers, gear-driven, mechanical development of, 132, 144, 180, n. 22, 223 easier on radial than on in-line, 674, n. 14
- superchargers, gear-driven, two-sided on Eagle XVI, 204 on Kestrel, 207 on Rolls Royce R, 212
- superchargers, gear-driven, two-speed development for use with improved fuels, 627-628 Farman drive for, 220 on Cyclone, 502 on Kestrel, 219 on Merlin, 219-220
- superchargers, gear-driven, two-stage, 54 earliest development and production of, on R-1830, **305**, n. 7 recommended by RAE, 229 on Merlin 30, **229-231**, 309, 674, 675 on V-1710, 30, **309**
- superchargers, gear-driven, variable-speed, 309
- superchargers, turbo, development of originated by Buechi, 328 early, in France, 328 by RAF and RAE, 224, 328 by British engine builders, 120, n. 1, 224 dropped by British Air Ministry, 202, 203 by General Electric, financed by U. S. Army, 30, 120, 252, 328-329, 441, 455-456, 630, n. 10 side-type, 673 by TEC, supported by U. S. Navy, 454-457 by DVL, 387 by BMW, 387 difficulties in, 157, n. 37, 224, 229 metallurgy more important than aerodynamics, 441 result satisfactory in U.S. by 1935 except for controls, 229, 279, n. 18, 329, 674 for Diesel engines, 387, n. 16, 390, n. 24
- superchargers, turbo, development of bucket materials for, **494-497** importance of, 329, 440-441
- superchargers, turbo, engines equipped with, in Britain Condor, 202 Jupiter, 145, n. 37 Lion, 206, n. 5 Napier V-12, 206 Kestrel, 229
- superchargers, turbo, installations of, in U. S. first service-test, on P-6, 673 first production, on PB-2, 673 unsuccessful, on P-12, 673 first successful, on air-cooled engine, 674, n. 15 on B-17 and P-47, 675 removed from Hawk and P-39, 257-258, 279, 303 effect on V-1710 development, 29-30, 257-258, 279, 303, 308
- superchargers, turbo, production of, 329 and n. 9, 674
- superchargers, turbo, run as gas turbine GE, 485-486

- TEC, 456-457
 superchargers, turbo, utility of
 dependent on controllable-pitch propellers, 202, 224, 630, n. 10
 attitude of U. S. tactical officers toward, 38
 attitude of U.S. engine builders toward, 120
 supercharging
 deficiency of American Army fighter engines in, 30
 effect on compression ratio, 569
 liquid-cooling better suited to than air-cooling until late 1930's, 251, 669-670, 672-674
 most important factor in development of high PN fuels, 595
 supercharging, sea-level
 problems of, 669
 rare before 1929, 214
 Supermarine (Vickers-Armstrong, Ltd, Supermarine Works)
 begins work on jet-propelled aircraft, 372
 see also Airplane Index: F 7/30, Spitfire

 tanks, self-sealing fuel
 developed at Wright Field, 640
 effect on, of
 aromatic fuels, 640-641
 xylydine, 642-643
 Taylor, C. F., 191
 Taylor, P. B., 261, n. 10
 TEC, *see* Turbo Engineering Corporation
 tetraethyllead, *see* fuels and fuel components, lead
 Tedder, Air Vice-Marshal Arthur W., 352
 temperature, inlet, effect on efficiency of gas turbines, 327
 Tillinghast, Capt. T. E., 556, 585, 591
 Tinling, J. C. B., 336, 337, 340, 346, 347
 Tizard, Henry T., 341-343, 356, 580-581
 Townend, H., 679
 Townend Ring, 679
 Transcontinental Air Transport, 262
 Transcontinental & Western Air, 537
 transport, civilian, *see* airplanes, civilian transport

 Turbo Engineering Corporation
 formation of, 455
 development by, of
 supercharger for R-2800, 470, 507
 turbosuperchargers, 456-457, 470, 506-507
 turbojet, 457, 470, 472
 study by, of gas turbines, 456
 factory set up, 457, 470
 turbine, centripetal
 used on Heinkel engines, 377
 advocated by Birmann, 454
 steam unit tested, 455
 turbines, efficiency of
 Power Jets in 1938, 351
 German, in 1938, 387
 Welland, 433
 004, 433
 in PT-1, 478
 turbines, gas, *see* gas turbines
 turbo-blowers
 blast furnace, 326
 Houdry process, 326
 turbojets
 patented by
 M. Guillaume, 324, 485
 H. von Ohain, 377
 F. Whittle, 334; expires, 336
 see also gas turbines (aircraft), jet propulsion
 turbojets, British
 development of, 333-376
 Air Ministry's attitude toward, 339, 345, 352
 compared with German, 429-439
 turbojets, German
 development of, 377-428
 life of, compared with reciprocating engines, 400, n. 35
 military utility of, 429
 compared with British, 434-435
 rated in terms of thrust at 560 mph at sea level, 411, n. 47a
 to be produced also as turboprops and ducted fans, 404
 turbojets, U. S.
 development of, 440-479 *passim*
 attitude of U. S. Navy toward, 456-457, 461, n. 20, 470-471
 earliest proposals for, 445, 448, 460-461, 486
 reasons for lateness of, 480-493

- compared with British in 1942, 464, 466
 turboprops
 almost only form of turbine considered in U. S. in 1930's, 444, 484
 not practical in 1930's, 484
 earliest development in U. S.
 by Lasley, 443-444
 by Northrop, 445
 interest diminishes in U. S., 471-472, 477
 type tests, administration of, 72

 Udet, Ernst, 388, n. 20, 394, 395, n. 30, 397
 Union Carbide and Carbon Corporation, 495
 Union Carbide and Carbon Research Laboratories, 495, 496
 United Aircraft Corporation, 285, 632
 United American Bosch Corporation
 foreign ownership eliminated, 540
 see also fuel injector, Bosch
 Universal Cyclops Steel Corporation, 495
 Universal Oil Products Company, 655, 703

 valve gear, automatically lubricated, 23-24, 179-181
 valve gear, enclosed
 on P-2, 185, 190
 on Wasp, 190
 on Whirlwind, 191
 on R-1750, 192
 valves, development of materials for, 621-622
 valves, internally cooled
 development of, 196-198
 importance of, 268, n. 3
 essential with 100-PN fuel, 621
 use of, on
 Kestrel, 209
 Rolls Royce R, 213
 Lawrence L and J, 197
 Whirlwind, 191-192
 R-1750, 192
 Vane, H. T., 206
 vapor locking, 600
 Veal, C. B., 601
 Velox boilers, development of, 326
 Viale, S. M., 133

 vibration, torsional
 in Dragonfly, 131, n. 18
 serious problem in 1920's, 147
 progress in understanding made in Bristol Mercury, 144
 effect on, of Farman reduction gear, 146
 not solved by Armstrong Siddeley, 149
 Vickers, Ltd, 128
 Vinson-Trammel Act, 195
 visibility
 inverted arrangement of IV-1430 used to secure better, 273
 of air and liquid-cooled engines compared, 254, 680
 Voigt, Woldemar, 392
 volatility, fuel
 Army and Navy specifications concerning, 660 f.
 conflict between engine and oil industries regarding, 661-662
 defined, 567
 effect on carburetor icing, 573
 reduction of, during war years, 660
 versus supply, 660-662
 von Ohain, Hans, 377, 378, 397, 406, 408, 409, 489
 vulnerability of air- and liquid-cooled engines compared, 254-255, 690-691

 Wagner, Herbert, 379, 380, 381, 383, 395, 484, 489
 Walther, Helmut, 382, 385
 War Production Board, 634
 Wasielewski, E. W., 460
 water-alcohol injection, *see* injection
 water-cooled engines and water cooling, *see* liquid-cooled engines and liquid cooling
 Waukesha Motor Company, 587, 605, 638
 weight
 of American and British air-cooled engines, compared, 51-54
 of cooling system, *see* cooling system of axial and centrifugal gas turbines compared, 430, n. 3
 weight of air- and liquid-cooled engines, compared, 251-253, 256-257, 666-675
 in U. S. in 1922, 170-171
 in U. S. in 1943, 676-678

General Index

- reason for use of air-cooled engines on
civilian transports, 211, 256, 689-
690
weight-carrying military aircraft,
256
fighters, 170, 256
Weinberg, Fred, 177
Weinrich, Helmut, 393-395
Weir, G. and J., 344, 345
Weir, Sir William, 130 and n. 16, 344,
n. 16
Wellner, *see* Saechsische Metallwaren-
fabrik
Westinghouse Electric & Manufactur-
ing Company
development of gas turbines for
ship propulsion, 459
member of Durand Committee, 458
see also Engine Index: 19A, 19B
Wetstone, development facilities at,
364
Whitman, W. G., 632
Whittle, Air Commodore Sir Frank,
333-342, 343, 347, 349, 358, 377, 489
Whyte, L. L., 337, 339, 343, 344, 346
Wilkinson, G. S., 124
Wilks, Maurice, 359, 361
Willgoos, A. V. D., 187, 188, 192, n. 34
Williams, R. D., 336, 337, 340, 346, 347
Wilson, Lieut.-Commander E. E., 184,
185, n. 25, 290
Wilson, R. E., 586, 632
Wimperis, H. E., 71, n. 7
Wright Aeronautical Corporation, 157,
555, 598, 606
formation and original capital of, 158
merger with Lawrance, 175
merger with Curtiss, 260, n. 10
annual engineering expenses of, 268
cooperates in development of
carburetors, 106, 110, 519-520,
523, 525-526; considers de-
veloping own, 517
fuel injectors, 534
competition of, with
Curtiss, 172, 182
Pratt & Whitney, 262
development by, of
cylinder-casting technique, 148,
n. 39
engines, air-cooled
early attitude toward, 63, 66,
184-185
forced by Navy to develop 200-
hp., 28
assigns greater part of resources
to, 262
two-row, 686-687
see also Engine Index:
Cyclone R-1510
Cyclone, R-2600
compound R-3350
P-1 Simoon
P-2 Whirlwind
R-1
engines, liquid-cooled
twin-vee, 287, 288
Army ceases to support, 265
see also Engine Index:
H-2120 T
Hispano-Suiza (Wright) V-1800
R-2160
superchargers, 102, 502-505
results equal to any after 1939,
481
turbojet, negotiates for license to
build, 453-454, 486
use of silver-lead bearing by, 111
Wright Field
cost of operating, 267
see also Army, U. S.
Wright-Martin Aircraft Corporation,
158, 177, n. 18
Württembergische Metallwarenfabrik,
417, n. 57